

# India - Survey on Morbidity and Health Care 2004 - 60th Round, January-June

Report generated on: June 19, 2017

Visit our data catalog at: <http://www.ilo.org/microdata/index.php>

## Overview

### Identification

---

**ID NUMBER**

IND\_2004\_MHC\_60th\_Sch25\_MOSPI\_NSSO

### Version

---

**VERSION DESCRIPTION**

V1.0; Re-organised anonymised dataset for public distribution.

**PRODUCTION DATE**

2012-12-30

### Overview

---

**ABSTRACT**

The National Sample Survey Organisation (NSSO) was set up in 1950 as a permanent survey organisation to collect data on various facets of the Indian economy through nation-wide sample surveys in order to assist in socio-economic planning and policy-making. The National Sample Survey made its first attempt to collect information on morbidity in the seventh round (Oct. 1953 - March 1954). This survey and the morbidity surveys conducted in the three subsequent rounds (the eleventh to the thirteenth, 1956-58) were all exploratory in nature. The aim of these surveys was to evolve an appropriate data collection method for studying morbidity profile in India. These surveys were followed up by a pilot survey in the seventeenth round (Sept. 1961 - July 1962) to examine alternative approaches of morbidity reporting. With the aid of the findings of these exploratory surveys, a full-scale survey on morbidity was conducted in the twenty-eighth round (Oct. 1973 - June 1974). Since then, the NSSO had not undertaken any separate morbidity survey and data on morbidity became a part of the decennial surveys on social consumption.

The NSSO carried out the first all-India Survey on Social Consumption in its 35th round (July 1980 - June 1981). The items covered were the public distribution system, health services including mass immunisation and family welfare programmes, and educational services. The results of the survey could not be brought out owing to some unavoidable reasons. The second survey on Social Consumption was carried out in the 42nd round (July 1986 - June 1987) with some modifications in the coverage of subjects. Topics like Problems of Aged Persons were included in this round. The third Survey on Social Consumption was carried out in the 52nd

round (July 1995 - June 1996). Two topics, viz. utilisation of the public distribution system and utilisation of family planning services, were dropped, as these were

covered in the NSS 50th round and in a nationwide survey by the Ministry of Health and Family Welfare, respectively.

After a gap of about nine years, the Governing Council decided to take up a survey on 'Morbidity and Health care' at the request of Ministry of Health and Family Welfare, during the period January to June, 2004. The enquiry covered the curative aspects of the general health care system in India and also the utilization of health care services provided by the public and private sector, together with the expenditure incurred by the households for availing these services.

**KIND OF DATA**

Sample survey data [ssd]

**UNITS OF ANALYSIS**

Randomly selected households based on sampling procedure and members of the household

### Scope

---

**NOTES**

In the Sixtieth round of NSS, data was collected through a survey on the subject of 'Morbidity and Health Care'. Apart from this subject, surveys were also undertaken separately on 'Household Consumer Expenditure' and 'Employment and

Unemployment'. In the survey on Morbidity and Health Care, the following main aspects were covered:

- (i) Morbidity and utilisation of health care services including immunisation and maternity care,
- (ii) Problems of aged persons, and
- (iii) Expenditure of the households for availing the health care services.

The object of the present survey was essentially to study the benefits derived by various sections of the population from investments and outlays made by the Government, as well as by the private sector in the fields of health and get an estimate of expenditure incurred by households to avail health care services including immunization and maternity care.

The data were collected from a sample of households by the interview method. A set of probing questions was put to as many individual members of a selected household as possible to ascertain whether they had suffered from any ailment during the reference period and whether they had taken any medical treatment for it. As far as possible, efforts were made to collect information relating to ailments of each household member from the member themselves. But in spite of the best efforts, some other person of the household might have provided this information, especially for the children and the aged persons in the household. Efforts were made to interview all the adult male members of each sample household, personally. For the children, particularly the young, attempts were made to get the required information from their mothers.

The enquiry on morbidity was conducted with a reference period of 15 days. All spells of ailment suffered by each member, both present as well as the deceased, of the sample household, during the 15 days preceding the date of enquiry, whether or not the patient was hospitalised for treatment, were covered in the survey. For hospitalised treatment, however, information was collected for every event of hospitalisation of a member, whether living or deceased at the time of survey, during the 365 days preceding the date of enquiry.

The schedule on morbidity and health care (Schedule 25.0) framed for the 60th round consists of 13 blocks.

## TOPICS

Topic	Vocabulary	URI
Labor Markets	World Bank	<a href="http://www.surveynetwork.org/toolkit">http://www.surveynetwork.org/toolkit</a>

## KEYWORDS

Employment, Unemployment, Indebtedness of rural labour, Usual principal activity, Usual subsidiary activity, Time disposition during the week, Migration

## Coverage

---

### GEOGRAPHIC COVERAGE

The entire area of the country was covered with the exception of some interior areas of Nagaland and Andaman & Nicobar Islands, and Leh (Ladakh) and Kargil districts of Jammu & Kashmir.

### UNIVERSE

The survey used the interview method of data collection from a sample of randomly selected households and members of the household

## Producers and Sponsors

---

### PRIMARY INVESTIGATOR(S)

Name	Affiliation
National Sample Survey Office	M/o Statistics and Programme Implementation(MOSPI),Government of India (GOI)

### OTHER PRODUCER(S)

Name	Affiliation	Role
Survey Design Research Division	National Sample Survey Office	Questionnaire Design, Sampling methodology, Survey Reports

Name	Affiliation	Role
Field Operations Division	National Sample Survey Office	Field Work
Data Processing Division	National Sample Survey Office	Data Processing
Computer Centre	M/o Statistics and Programme Implementation(MOSPI),Government of India (GOI)	Data Dissemination

**FUNDING**

Name	Abbreviation	Role
M/o Statistics & Programme Implementation, GOI	MOSPI	

**OTHER ACKNOWLEDGEMENTS**

Name	Affiliation	Role
Governing council and Working Group	GOI	Finalisation of survey study and Questionnaire

## Metadata Production

---

**METADATA PRODUCED BY**

Name	Abbreviation	Affiliation	Role
Computer Centre	MOSPI, CC	M/O Statistics & Programme Implementation	Documentation of the study

**DATE OF METADATA PRODUCTION**

2012-12-30

**DDI DOCUMENT VERSION**

Version 1.0 (December 2012)

**DDI DOCUMENT ID**

DDI\_IND\_2004\_MHC\_60th\_Sch25\_MOSPI\_NSSO

## Sampling

### Sampling Procedure

---

An outline of the sampling design: The sampling design adopted for the survey was essentially a stratified multi-stage one for both rural and urban areas. The first stage units (FSUs) were villages (panchayat wards for Kerala) for rural areas and NSS Urban Frame Survey (UFS) blocks for urban areas. The ultimate stage units (USUs) were households. Large FSUs were subdivided into hamlet-groups (rural)/sub-blocks (urban). Details of the formation of hamlet-groups/sub-blocks and procedure of selection of hamlet-groups/sub-blocks and then of households are also given in Appendix B.

Sampling Frame for FSUs: The list of villages (panchayat wards for Kerala) as per 1991 Census and latest lists of UFS blocks of NSSO were respectively used for selection of rural and urban sample FSUs. For selection of sample villages from the State of Jammu & Kashmir, the list of villages as per 1981 Census was used as the sampling frame. However, interior villages of Nagaland situated beyond 5 kms. of the bus route and inaccessible villages of Andaman & Nicobar Islands were left out of the survey coverage of NSS 60th round.

The procedure for selection of fsus/usus is given in detail in Appendix B of the report no.507 attached as external resources.

### Deviations from Sample Design

---

There was no deviation from the original sample deviation.

### Response Rate

---

Sample size -- first-stage units: In all, 10,072 villages were planned to be surveyed in this round. Of these, 4,908 were allocated to the central sample -- the part surveyed mainly by the NSSO field staff -- and the rest to the State sample -- the part surveyed by the State agencies. In the urban sector, the allocations for the Central and State samples were, respectively, 2,708 and 3,096 blocks. This report is based on the estimates obtained from the central sample alone. The number of villages and that of urban blocks actually surveyed as the central sample were 4,755 and 2,668 respectively.

1.7.3 Sample size -- second-stage units: For Schedule 25.0, 10 households were planned to be surveyed in each selected FSU. In the Central sample, the actual numbers of households surveyed in the rural and urban areas were 47,302 and 26,566, respectively.

### Weighting

---

For generating any estimate, one has to extract relevant portion of the data, and aggregate after applying the weights.

Weights (or multipliers) VARIABLES are given at the end of record of each dataset. The weights (multipliers) are WGT\_SS for Sub-sample-wise estimation and WGT\_Combined for combined subsample estimates.

All records of a household will have same weight figure. In case of those Blocks/Levels, where Item/Person SI.No. is not applicable the field is filled up with 00000.

Use of subsample-wise weights (multipliers)

For generating subsample-wise estimates based on data of all subrounds taken together, either Subsample-1 households or Subsample-2 households are to be considered at one time. Subsample code is available in the dataset For generating subsample-combined estimates based on data of all subrounds taken together all households are to be considered.

# Questionnaires

## Overview

---

The schedule on morbidity and health care (Schedule 25.0) framed for the 60th round consists of 13 blocks. The different blocks of the schedule are:

Block 0: descriptive identification of sample household

Block 1: identification of sample household

Block 2: particulars of field operation

Block 3: household characteristics

Block 4: demographic particulars of household members

Block 5: particulars of earstwhile household members who died during last 365 days

Block 6: particulars of economic independence and ailments for persons aged 60 years and above

Block 7: particulars of medical treatment received as inpatient of a hospital during last 365 days

Block 8: expenses incurred for treatment of members treated as inpatient of hospital during last 365 days and source of finance

Block 9: particulars of spells of ailment of household members during last 15 days (including hospitalisation)

Block 10: expenses incurred during last 15 days for treatment of members (not as an inpatient of hospital) and source of finance

Block 11: particulars of immunisation of children (0 - 4 yrs.), pre-natal and post-natal care for ever married women of age below 50 years during last 365 days

Block 12: remarks by investigator

Block 13: comments by supervisory officer(s)

## Data Collection

### Data Collection Dates

Start	End	Cycle
2004-01-01	2004-03-31	subround-1
2004-04-01	2004-06-30	subround-2

### Data Collection Mode

Face-to-face [f2f]

### Data Collection Notes

The fieldwork of 60th round of NSSO started from 1st January, 2004 and continued till 30th June, 2004. As usual, the survey period of this round was divided into two sub-rounds, each with a duration of three months, the 1st sub-round period ranging from January to March, 2004 and the 2nd sub-round period from April to June, 2004. An equal number of sample FSU's was allotted for survey in each of these two sub-rounds.

### Questionnaires

The schedule on morbidity and health care (Schedule 25.0) framed for the 60th round consists of 13 blocks. The different blocks of the schedule are:

Block 0: descriptive identification of sample household

Block 1: identification of sample household

Block 2: particulars of field operation

Block 3: household characteristics

Block 4: demographic particulars of household members

Block 5: particulars of earstwhile household members who died during last 365 days

Block 6: particulars of economic independence and ailments for persons aged 60 years and above

Block 7: particulars of medical treatment received as inpatient of a hospital during last 365 days

Block 8: expenses incurred for treatment of members treated as inpatient of hospital during last 365 days and source of finance

Block 9: particulars of spells of ailment of household members during last 15 days (including hospitalisation)

Block 10: expenses incurred during last 15 days for treatment of members (not as an inpatient of hospital) and source of finance

Block 11: particulars of immunisation of children (0 - 4 yrs.), pre-natal and post-natal care for ever married women of age below 50 years during last 365 days

Block 12: remarks by investigator

Block 13: comments by supervisory officer(s)

### Data Collectors

Name	Abbreviation	Affiliation
Field Operations Division of National Sample Survey Office	NSSO(FOD)	Ministry of Statistics and Programme Implementation

## **Data Processing**

No content available



## **Data Appraisal**

No content available

## File Description

## Variable List

**Block-1-identification-sample-hhold-and-field-operationr-ecords**

Content	Dataset of this block contains identification particulars of a sample household and field operations.
Cases	73868
Variable(s)	30
Structure	Type: relational Keys: Key_HH(Key to locate HHno)
Version	
Producer	NSSO
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V1	Key_HH	Key to locate HHno	discrete	character	
V2	Rec_id	Record identifier	discrete	character	
V3	CSR	Centre code, Round, Shift	discrete	character	
V4	Round	Round	discrete	character	
V5	SchNo	Schedule Number	discrete	character	
V6	Sample	Sample	discrete	character	
V7	Sector	Sector	discrete	character	
V8	State_reg	State-Region	discrete	character	
V30	state	State code	discrete	character	
V9	District	District	discrete	character	
V10	Stratum	Stratum	discrete	character	
V11	Sub_Round	Sub-Round	discrete	character	
V12	Sub_Sample	Sub-Sample	discrete	character	
V13	FOD_SR	FOD Sub-Region	discrete	character	
V14	FSU	LOT/FSU Serial No.	discrete	character	
V15	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V16	SS_stratum	Second Stage Stratum	discrete	character	
V17	HS_No	Sample HHS No.	discrete	character	
V594	B1_q16	Informant SI.No.	discrete	numeric	
V19	B1_q17	Response Code	discrete	character	
V20	B1_q18	Survey Code	discrete	character	
V21	B1_q19	Substitution Code	discrete	character	
V22	B2_q2i	Date of Survey	contin	numeric	
V23	B2_q2ii	Date of Despatch	contin	numeric	
V24	B2_q4	Time to canvass(mins.)	contin	numeric	
V25	Wgt_combined	Combined Multiplier	contin	numeric	
V26	Wgt_ss	Sub-sample Multiplier	contin	numeric	
V27	NSS	nss	contin	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V28	NSC	nsc	contin	numeric	
V29	Mult	Posted Multiplier	contin	numeric	

## Block-3-socio-economic-characteristics-household-records

Content	This data set contains Information on some socio-economic characteristics of the sample households, which have a direct bearing on the data collected in the subsequent blocks, These characteristics are usually used for classifying the households.
Cases	73868
Variable(s)	44
Structure	Type: relational Keys: Key_hh(Key to locate HHno)
Version	
Producer	NSSO
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V31	Key_hh	Key to locate HHno	discrete	character	
V32	Rec_id	Record identifier	discrete	character	
V33	CSR	Centre code,Round,Shift	discrete	character	
V34	Round	Round	discrete	character	
V35	SchNo	Schedule Number	discrete	character	
V37	Sample	Sample	discrete	character	
V38	Sector	Sector	discrete	character	
V39	State_reg	State-Region	discrete	character	
V40	state	state code	discrete	character	
V41	District	District	discrete	character	
V42	Stratum	Stratum	discrete	character	
V43	Sub_Round	Sub-Round	discrete	character	
V44	Sub_Sample	Sub-Sample	discrete	character	
V45	FOD_SR	FOD Sub-Region	discrete	character	
V46	FSU	LOT/FSU Serial No.	discrete	character	
V47	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V48	SS_stratum	Second Stage Stratum	discrete	character	
V49	HS_No	Sample HHS No.	discrete	character	
V595	Hhsize	HHS Size	contin	numeric	
V51	B3_q2	NIC Code(5-digit)	discrete	character	
V52	B3_q3	NCO Code(3-digit)	discrete	character	
V596	B3_q4	HHS type	discrete	character	
V54	B3_q5	Religion	discrete	character	
V55	B3_q6	Social Group	discrete	character	
V56	B3_q7	Land Possessed	discrete	character	
V57	B3_q8	Type of Structure	discrete	character	
V58	B3_q9	Type of Latrine	discrete	character	

ID	Name	Label	Type	Format	Question
V59	B3_q10	Type of Drainage	discrete	character	
V60	B3_q11	Source of Drinking Water	discrete	character	
V61	B3_q12	Drinking water treated?	discrete	character	
V62	B3_q13	Type of water treatment	discrete	character	
V63	B3_q14	Source of energy for cooking	discrete	character	
V64	B3_q15	Any pet animal?	discrete	character	
V65	B3_q16	Hhld. Exp.-Purchase(Rs)	contin	numeric	
V66	B3_q17	Hhld. Exp.-Home-Produced Stock(Rs)	contin	numeric	
V67	B3_q18	Hhld. Exp.-Receipts in Exchange(Rs)	contin	numeric	
V68	B3_q19	Hhld. Exp.-Gifts and Loans(Rs)	contin	numeric	
V69	B3_q20	Hhld. Exp.-Free Collection(Rs)	contin	numeric	
V70	B3_q21	Hhld. Exp.-Total(Rs)	contin	numeric	
V71	Mult_combined	Multiplier Combined	contin	numeric	
V72	Mult_ss	Multiplier ss	contin	numeric	
V73	NSS	nss	contin	numeric	
V74	NSC	nsc	contin	numeric	
V75	Mult	Posted Multiplier	contin	numeric	

**Block-4-Demographic-particulars-members-records**

Content	Demographic particulars (viz., relation to head, sex, age, marital status and general education), working status, whether hospitalised/ailing, etc. are the content of this dataset.
Cases	383338
Variable(s)	38
Structure	Type: relational Keys: key_Persn(Key to locate Prson), key_hh(Key to locate hhno)
Version	
Producer	NSSO
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V76	key_Persn	Key to locate Prson	discrete	character	
V77	key_hh	Key to locate hhno	discrete	character	
V78	Rec_id	Record identifier	discrete	character	
V79	CSR	Centre code,Round,Shift	discrete	character	
V80	Round	Round	discrete	character	
V81	SchNo	Schedule Number	discrete	character	
V83	Sample	Sample	discrete	character	
V84	Sector	Sector	discrete	character	
V85	State_reg	State-Region	discrete	character	
V86	state	state code	discrete	character	
V87	District	District	discrete	character	
V88	Stratum	Stratum	discrete	character	
V89	Sub_Round	Sub-Round	discrete	character	
V90	Sub_Sample	Sub-Sample	discrete	character	
V91	FOD_SR	FOD Sub-Region	discrete	character	
V92	FSU	LOT/FSU Serial No.	discrete	character	
V93	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V94	SS_stratum	Second Stage Stratum	discrete	character	
V95	HS_No	Sample HHS No.	discrete	character	
V96	Person_slnno	Person Srl. No.	discrete	character	
V97	B4_c3	Relation to Head	discrete	character	
V98	B4_c4	Sex	discrete	character	
V99	B4_c5	Age	contin	numeric	
V100	B4_c6	Marital Status	discrete	character	
V101	B4_c7	General Eduacation Level	discrete	character	
V102	B4_c8	Usual Activity Status	discrete	character	
V103	B4_c9	Whether hospitalised?	discrete	character	
V597	B4_c10	No. of times hospitalised	contin	numeric	



ID	Name	Label	Type	Format	Question
V105	B4_c11	Whether ailing-last 15 days?	discrete	character	
V106	B4_c12	Whether ailing-on the day before?	discrete	character	
V107	B4_c13	Reporting in col-11-12?	discrete	character	
V108	B4_c14	Medical Insurance Premium(Rs)	contin	numeric	annual amount paid on medical insurance premium
V109	B4_c15	Health Schemes(Rs)	contin	numeric	annual amount paid on health schemes like the CGHS, ESI, etc.:
V110	Mult_combined	Multiplier Combined	contin	numeric	
V111	Mult_SS	Multiplier SS	contin	numeric	
V112	NSS	nss	contin	numeric	
V113	NSC	nsc	contin	numeric	
V114	Mult	Posted Multiplier	contin	numeric	

## Block-5-particulars-of-deaths-records

Content	This dataset contains the particulars of death of household members like, age at death, medical attention before death, whether hospitalised during the last 365 days or not, etc.and for females, information relating to pregnancy and time of death with respect to pregnancy.
Cases	1717
Variable(s)	34
Structure	Type: relational Keys: Key_prsn(Key to locate Person)
Version	
Producer	NSSO
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V115	Key_prsn	Key to locate Person	discrete	character	
V116	Key_hhno	Key to locate HHno	discrete	character	
V117	Rec_id	Record identifier	discrete	character	
V118	CSR	Centre code, Round, Shift	discrete	character	
V119	Round	Round	discrete	character	
V120	SchNo	Schedule Number	discrete	character	
V122	Sample	Sample	discrete	character	
V123	Sector	Sector	discrete	character	
V124	State_reg	State-Region	discrete	character	
V125	state	state code	discrete	character	
V126	District	District	discrete	character	
V127	Stratum	Stratum	discrete	character	
V128	Sub_Round	Sub-Round	discrete	character	
V129	Sub_Sample	Sub-Sample	discrete	character	
V130	FOD_SR	FOD Sub-Region	discrete	character	
V131	FSU	LOT/FSU Serial No.	discrete	character	
V132	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V133	SS_stratum	Second Stage Stratum	discrete	character	
V134	HS_No	Sample HHS No.	discrete	character	
V135	B5_q1	Person Srl. No.	discrete	character	
V136	B5_q3	Sex	discrete	character	
V137	B5_q4	Age at Death	contin	numeric	
V138	B5_q5	Medical attention received	discrete	character	medical attention received before death:
V139	B5_q6	Whether hospitalised?	discrete	character	
V598	B5_q7	No. of times hospitalised	contin	numeric	
V141	B5_q8	Whether pregnant?	discrete	character	
V142	B5_q9	Time of Death	discrete	character	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V143	B5_q10	Medical insurance premium(Rs)	contin	numeric	
V144	B5_q11	Health Schemes(Rs)	contin	numeric	
V145	Mult_combined	Multiplier combined	contin	numeric	
V146	Mult_ss	Multiplier subsample/	contin	numeric	
V147	NSS	nss	contin	numeric	
V148	NSC	nsc	contin	numeric	
V149	Mult	Posted Multiplier	contin	numeric	

## Block-6-aged-persons-records

Content	This dataset contains details of economic independence or otherwise of the aged persons, their economic condition, living arrangement along with the details of ailments from which they are suffering on the day of survey.
Cases	34831
Variable(s)	48
Structure	Type: relational Keys: Key_prsn(Key to locate Person), Key_HHNO(Key to locate hOUSEno)
Version	
Producer	NSSO
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V150	Key_prsn	Key to locate Person	discrete	character	
V151	Key_HHNO	Key to locate hOUSEno	discrete	character	
V152	Rec_id	Record identifier	discrete	character	
V153	CSR	Centre code, Round, Shift	discrete	character	
V154	Round	Round	discrete	character	
V155	SchNo	Schedule Number	discrete	character	
V157	Sample	Sample	discrete	character	
V158	Sector	Sector	discrete	character	
V159	State_reg	State-Region	discrete	character	
V160	state	state code	discrete	character	
V161	District	District	discrete	character	
V162	Stratum	Stratum	discrete	character	
V163	Sub_Round	Sub-Round	discrete	character	
V164	Sub_Sample	Sub-Sample	discrete	character	
V165	FOD_SR	FOD Sub-Region	discrete	character	
V166	FSU	LOT/FSU Serial No.	discrete	character	
V167	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V168	SS_stratum	Second Stage Stratum	discrete	character	
V169	HS_No	Sample HHS No.	discrete	character	
V170	B6_q1	Member Srl. No.	discrete	character	
V171	B6_q2	Age	contin	numeric	
V599	B6_q3	No. of sons living	contin	numeric	
V600	B6_q4	No. of daughters living	contin	numeric	
V174	B6_q5	State of economic independence	discrete	character	
V601	B6_q6	No. of Dependents	contin	numeric	For code 1 in item 5, no. of dependants:
V176	B6_q7	Person financially supporting	discrete	character	For code 2 or 3 in item 5, person financially supporting aged person:

ID	Name	Label	Type	Format	Question
V177	B6_q8	Amount of Loan Outstanding	contin	numeric	For code 1 in item 5, amount of loan(s) outstanding (Rs.):
V178	B6_q9	Living Arrangement	discrete	character	
V179	B6_q10	Staying nearby?	discrete	character	For codes 1, 2 or 3 in item 9, whether child / grandchild / sibling staying nearby:
V180	B6_q11	Physical Mobility	discrete	character	
V181	B6_q12	Person helping	discrete	character	For code 1 or 2 in item 11, person helping:
V182	B6_q13	Ailment 1	discrete	character	
V183	B6_q14	Ailment 2	discrete	character	
V184	B6_q15	Ailment 3	discrete	character	
V185	B6_q16	Ailment 4	discrete	character	
V186	B6_q17	Ailment 5	discrete	character	
V187	B6_q18	Treatment for Ailment 1	discrete	character	whether any treatment taken for ailments reported above (against items 13 to 17):
V188	B6_q19	Treatment for Ailment 2	discrete	character	
V189	B6_q20	Treatment for Ailment 3	discrete	character	
V190	B6_q21	Treatment for Ailment 4	discrete	character	
V191	B6_q22	Treatment for Ailment 5	discrete	character	
V192	B6_q23	Own perception-Current state	discrete	character	own perception about current state of health
V193	B6_q24	Own perception- Relative state	discrete	character	own perception about relative state of health:
V194	Mult_combined	Multiplier combined	contin	numeric	
V195	Mult_ss	Multiplier sub sample	contin	numeric	
V196	NSS	nss	contin	numeric	
V197	NSC	nsc	contin	numeric	
V198	Mult	Posted Multiplier	contin	numeric	

**Block-7-members-medical-treatment-particulars-records**

Content	This dataset contains particulars of hospitalisation of members during 365 days preceding the date of survey.
Cases	32665
Variable(s)	44
Structure	Type: relational Keys: Key_prsn(Key to locate person), Key_hhno(Key to locate hhold)
Version	
Producer	NSSO
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V199	Key_prsn	Key to locate person	discrete	character	
V200	Key_hhno	Key to locate hhold	discrete	character	
V201	Rec_id	Record identifier	discrete	character	
V202	CSR	Centre code,Round,Shift	discrete	character	
V203	Round	Round	discrete	character	
V204	SchNo	Schedule Number	discrete	character	
V206	Sample	Sample	discrete	character	
V207	Sector	Sector	discrete	character	
V208	State_reg	State-Region	discrete	character	
V209	state	state code	discrete	character	
V210	District	District	discrete	character	
V211	Stratum	Stratum	discrete	character	
V212	Sub_Round	Sub-Round	discrete	character	
V213	Sub_Sample	Sub-Sample	discrete	character	
V214	FOD_SR	FOD Sub-Region	discrete	character	
V215	FSU	LOT/FSU Serial No.	discrete	character	
V216	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V217	SS_stratum	Second Stage Stratum	discrete	character	
V218	HS_No	Sample HHS No.	discrete	character	
V219	B7_q1	Srl. No. of hospitalisation case	discrete	character	
V220	B7_q2	Srl. No. of member	discrete	character	
V221	B7_q3	Age	contin	numeric	
V222	B7_q4	Type of hospital	discrete	character	
V223	B7_q5	Nature of ailment	discrete	character	
V224	B7_q6	Type of Ward	discrete	character	
V225	B7_q7	When admitted	discrete	character	
V226	B7_q8	When discharged	discrete	character	
V227	B7_q9	Duration of stay in hospital	contin	numeric	

ID	Name	Label	Type	Format	Question
V228	B7_q10	Loss of Household Income	contin	numeric	loss of household income, if any due to hospitalisation:
V229	B7_q11	Surgery	discrete	character	details of medical services received: Surgery
V230	B7_q12	medicine	discrete	character	details of medical services received: Medicine
V231	B7_q13	X-ray,ECG,Scan	discrete	character	details of medical services received: X-ray/ECG/EEG/Scan:
V232	B7_q14	Other diagnostic tests	discrete	character	details of medical services received: Other diagnostic tests:
V233	B7_q15	Treatment availed before	discrete	character	
V234	B7_q16	Source of treatment	discrete	character	
V235	B7_q17	Duration of treatment	contin	numeric	
V236	B7_q18	Treatment continued?	discrete	character	
V237	B7_q19	Source of treatment - after	discrete	character	
V238	B7_q20	Duration of treatment - after	contin	numeric	
V239	Mult_combined	Multiplier combined	contin	numeric	
V240	Mult_ss	Multiplier sub-sample	contin	numeric	
V241	NSS	nss	contin	numeric	
V242	NSC	nsc	contin	numeric	
V243	Mult	Posted Multiplier	contin	numeric	

**Block-8-part-1-treatment-expenses-365-days-members-records**

Content	Block-8-Part-1 of this dataset contains information pertaining to questions 1 to 13 on expenses incurred for treatment as inpatient, during the last 365 days , separately for each of the hospitalisation cases recorded in block 7.
Cases	32665
Variable(s)	37
Structure	Type: relational Keys: Key_prsn(Key to locate person), Key_hhno(Key to locate hhno)
Version	
Producer	NSSO
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V244	Key_prsn	Key to locate person	discrete	character	
V245	Key_hhno	Key to locate hhno	discrete	character	
V246	Rec_id	Record identifier	discrete	character	
V247	CSR	Centre code,Round,Shift	discrete	character	
V248	Round	Round	discrete	character	
V249	SchNo	Schedule Number	discrete	character	
V251	Sample	Sample	discrete	character	
V252	Sector	Sector	discrete	character	
V253	State_reg	State-Region	discrete	character	
V254	state	state code	discrete	character	
V255	District	District	discrete	character	
V256	Stratum	Stratum	discrete	character	
V257	Sub_Round	Sub-Round	discrete	character	
V258	Sub_Sample	Sub-Sample	discrete	character	
V259	FOD_SR	FOD Sub-Region	discrete	character	
V260	FSU	LOT/FSU Serial No.	discrete	character	
V261	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V262	SS_stratum	Second Stage Stratum	discrete	character	
V263	HS_No	Sample HHS No.	discrete	character	
V264	B8_q1	Srl. No. of hospitalisation case	discrete	character	
V265	B8_q2	Srl. No. of member	discrete	character	
V266	B8_q3	Age	contin	numeric	
V267	B8_q4	Medical service provided free by?	discrete	character	whether any medical service provided free by employer:
V268	B8_q5	Fee-Hospital staff(Rs)	contin	numeric	
V269	B8_q6	Fee- Other specialists(Rs)	contin	numeric	
V270	B8_q7	Medicines-from hospital(Rs)	contin	numeric	
V271	B8_q8	Medicines-from outside(Rs)	contin	numeric	



<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V272	B8_q9	Diagnostic tests(Rs)	contin	numeric	
V273	B8_q10	Bed charges(Rs)	contin	numeric	
V274	B8_q11	Attendant charges(Rs)	contin	numeric	
V275	B8_q12	Physiotherapy(Rs)	contin	numeric	
V276	B8_q13	Personal medical appliances(Rs)	contin	numeric	
V277	wgt_combined	Multiplier combined	contin	numeric	
V278	wgt_ss	Multiplier combined	contin	numeric	
V279	NSS	nss	contin	numeric	
V280	NSC	nsc	contin	numeric	
V281	Mult	Posted Multiplier	contin	numeric	

**Block-8-part-2-treatment-expenses-365-days-members-records**

Content	Block-8-Part-2 of this dataset contains information pertaining to questions 14 to 22 on expenses incurred for treatment as inpatient, during the last 365 days, separately for each of the hospitalisation cases recorded in block 7.
Cases	32394
Variable(s)	34
Structure	Type: relational Keys: Key_hosptl(Key to locate Hospitalisation no.), Key_HHno(Key to locate Hhold)
Version	
Producer	NSSO
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V282	Key_hosptl	Key to locate Hospitalisation no.	discrete	character	
V283	Key_HHno	Key to locate Hhold	discrete	character	
V284	Rec_id	Record identifier	discrete	character	
V285	CSR	Centre code,Round,Shift	discrete	character	
V286	Round	Round	discrete	character	
V287	SchNo	Schedule Number	discrete	character	
V289	Sample	Sample	discrete	character	
V290	Sector	Sector	discrete	character	
V291	State_reg	State-Region	discrete	character	
V292	state	state code	discrete	character	
V293	District	District	discrete	character	
V294	Stratum	Stratum	discrete	character	
V295	Sub_Round	Sub-Round	discrete	character	
V296	Sub_Sample	Sub-Sample	discrete	character	
V297	FOD_SR	FOD Sub-Region	discrete	character	
V298	FSU	LOT/FSU Serial No.	discrete	character	
V299	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V300	SS_stratum	Second Stage Stratum	discrete	character	
V301	HS_No	Sample HHS No.	discrete	character	
V302	B8_q1	Srl. No. of hospitalisation case	discrete	character	
V303	B8_q14	Food etc.(Rs)	contin	numeric	others: food and other material:
V304	B8_q15	Blood,Oxygen cylinder etc.(Rs)	contin	numeric	others: blood, oxygen cylinder, etc.:
V305	B8_q16	Services(Rs)	contin	numeric	others: services (ambulance, etc.)
V306	B8_q17	Exp. not elsewhere reported(Rs)	contin	numeric	
V307	B8_q18	Total exp. during stay(Rs)	contin	numeric	
V308	B8_q19	Transport(Rs)	contin	numeric	other expenses incurred by the household (Rs) (not included in item 18)-transport (other than ambulance):

ID	Name	Label	Type	Format	Question
V309	B8_q20	Lodging charges etc.(Rs)	contin	numeric	other expenses incurred by the household (Rs) (not included in item 18)- lodging charges of escort(s):
V310	B8_q21	Others(Rs)	contin	numeric	other expenses incurred by the household (Rs) (not included in item 18)-others:
V311	B8_q22	Total(Rs)	contin	numeric	other expenses incurred by the household (Rs) (not included in item 18)-
V312	wgt_combined	Multiplier combined	contin	numeric	
V313	wgtss	Multiplier Sub sample	contin	numeric	
V314	NSS	nss	contin	numeric	
V315	NSC	nsc	contin	numeric	
V316	Mult	Posted Multiplier	contin	numeric	

**Block-8-part-3--re-imbusement-treatment-expenses-members-records**

Content	Block-8-Part-3 of this dataset contains information pertaining to questions 29 to 33 regarding any amount of money reimbursed or reimbursable for treatment during the last 365 days,by individual sources of reimbursement.
Cases	5186
Variable(s)	30
Structure	Type: relational Keys: key_hosptl(Key tolocate Hospitalisation no.), key_hhno(Key to locate Hhold)
Version	
Producer	NSSO
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V317	key_hosptl	Key tolocate Hospitalisation no.	discrete	character	
V318	key_hhno	Key to locate Hhold	discrete	character	
V319	Rec_id	Record identifier	discrete	character	
V320	CSR	Centre code,Round,Shift	discrete	character	
V321	Round	Round	discrete	character	
V322	SchNo	Schedule Number	discrete	character	
V324	Sample	Sample	discrete	character	
V325	Sector	Sector	discrete	character	
V326	State_reg	State-Region	discrete	character	
V327	state	state code	discrete	character	
V328	District	District	discrete	character	
V329	Stratum	Stratum	discrete	character	
V330	Sub_Round	Sub-Round	discrete	character	
V331	Sub_Sample	Sub-Sample	discrete	character	
V332	FOD_SR	FOD Sub-Region	discrete	character	
V333	FSU	LOT/FSU Serial No.	discrete	character	
V334	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V335	SS_stratum	Second Stage Stratum	discrete	character	
V336	HS_No	Sample HHS No.	discrete	character	
V337	B8_q1	Srl. No. of hospitalisation case	discrete	character	
V338	B8_q29	Amount of reimbursement(Rs)	contin	numeric	
V339	B8_q30	reimbursed by Government(Rs)	contin	numeric	
V340	B8_q31	reimbursed by Private(Rs)	contin	numeric	
V341	B8_q32	reimbursed by Medical Insurance companies(Rs)	contin	numeric	
V342	B8_q33	reimbursed by Other agencies(Rs)	contin	numeric	
V343	wgt_combined	Multiplier combined	contin	numeric	
V344	wgt_ss	Multiplier sub sample	contin	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V345	NSS	nss	contin	numeric	
V346	NSC	nsc	contin	numeric	
V347	Mult	Posted Multiplier	contin	numeric	

## Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

Content	Block-8-Part-2 of this dataset contains information pertaining to questions 23 to 28 on total expenses incurred for treatment as inpatient during the last 365 days as well as details of the source of finance.
Cases	27316
Variable(s)	29
Structure	Type: relational Keys: Key_hhno(Key to locate Hhold)
Version	
Producer	NSSO
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V348	Key_hhno	Key to locate Hhold	discrete	character	
V349	Rec_id	Record identifier	discrete	character	
V350	CSR	Centre code, Round, Shift	discrete	character	
V351	Round	Round	discrete	character	
V352	SchNo	Schedule Number	discrete	character	
V354	Sample	Sample	discrete	character	
V355	Sector	Sector	discrete	character	
V356	State_reg	State-Region	discrete	character	
V357	state	state code	discrete	character	
V358	District	District	discrete	character	
V359	Stratum	Stratum	discrete	character	
V360	Sub_Round	Sub-Round	discrete	character	
V361	Sub_Sample	Sub-Sample	discrete	character	
V362	FOD_SR	FOD Sub-Region	discrete	character	
V363	FSU	LOT/FSU Serial No.	discrete	character	
V364	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V365	SS_stratum	Second Stage Stratum	discrete	character	
V366	HS_No	Sample HHS No.	discrete	character	
V367	B8_q23	Total exp. incurred by hhld.(Rs)	contin	numeric	
V368	B8_q24	Expenses financed by- Hhld. Income/savings(Rs)	contin	numeric	
V369	B8_q25	Expenses financed by-Borrowings(Rs)	contin	numeric	
V370	B8_q26	Expenses financed by-Contributions(Rs)	contin	numeric	
V371	B8_q27	Expenses financed by- other sources(Rs)	contin	numeric	
V372	B8_q28	Expenses financed - Total(Rs)	contin	numeric	
V373	wgt_combined	Multiplier combined	contin	numeric	
V374	wgt_ss	multiplier sub sample	contin	numeric	
V375	NSS	nss	contin	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V376	NSC	nsc	contin	numeric	
V377	Mult	Posted Multiplier	contin	numeric	

**Block-9- ailments-members- records**

Content	Spells of ailments suffered during the last 15 days preceding the date of survey by the members or deceased members of the household are the content of this dataset
Cases	38803
Variable(s)	41
Structure	Type: relational Keys: Key_prsn(Key to locate person), Key_hhno(Key to locate Hhold)
Version	
Producer	NSSO
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V378	Key_prsn	Key to locate person	discrete	character	
V379	Key_hhno	Key to locate Hhold	discrete	character	
V380	Rec_id	Record identifier	discrete	character	
V381	CSR	Centre code,Round,Shift	discrete	character	
V382	Round	Round	discrete	character	
V383	SchNo	Schedule Number	discrete	character	
V385	Sample	Sample	discrete	character	
V386	Sector	Sector	discrete	character	
V387	State_reg	State-Region	discrete	character	
V388	state	state code	discrete	character	
V389	District	District	discrete	character	
V390	Stratum	Stratum	discrete	character	
V391	Sub_Round	Sub-Round	discrete	character	
V392	Sub_Sample	Sub-Sample	discrete	character	
V393	FOD_SR	FOD Sub-Region	discrete	character	
V394	FSU	LOT/FSU Serial No.	discrete	character	
V395	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V396	SS_stratum	Second Stage Stratum	discrete	character	
V397	HS_No	Sample HHS No.	discrete	character	
V398	B9_q1	Srl. No. of spell of ailment	discrete	character	
V399	B9_q2	Srl. No. of member	discrete	character	
V400	B9_q3	Age	contin	numeric	
V401	B9_q4	Days ill	contin	numeric	
V402	B9_q5	On restricted activity(days)	contin	numeric	
V403	B9_q6	Confined to bed(days)	contin	numeric	
V404	B9_q7	Nature of ailment	discrete	character	
V405	B9_q8	Status of ailment	discrete	character	
V406	B9_q9	Total duration of ailment(days)	contin	numeric	



ID	Name	Label	Type	Format	Question
V407	B9_q10	Treatment on medical advice?	discrete	character	
V408	B9_q11	Treatment from govt. sources?	discrete	character	
V409	B9_q12	Reason if 2 in item 11	discrete	character	whether any treatment received from govt. sources and if no, reason
V410	B9_q13	Reason for no treatment	discrete	character	
V411	B9_q14	Measure for Recovery?	discrete	character	whether any other measure taken for recovery/relief:
V412	B9_q15	Whom consulted?	discrete	character	if 1 in item 14, whom consulted:?
V413	B9_q16	Expenditure incurred(Rs)	contin	numeric	If 1 in item 14, expenditure incurred (Rs):
V414	B9_q17	Loss of hhld. Income(Rs)	contin	numeric	loss of household income, if any, due to ailment (Rs)
V415	wgt_combined	Multiplier combined	contin	numeric	
V416	wgt_ss	Multiplier sub sample	discrete	numeric	
V417	NSS	nss	contin	numeric	
V418	NSC	nsc	contin	numeric	
V419	Mult	Posted Multiplier	contin	numeric	

**Block-10-part-1-treatment-expenses-15-days-members-records**

Content	Block-10-part-1-of this dataset contains information pertaining to questions 1 to 15 relating to expenses incurred during the last 15 days for treatment of members (not as inpatient of hospital)
Cases	31042
Variable(s)	39
Structure	Type: relational Keys: Key_prsn(Key to locate person), Key_hhno(Key to locate Hhold)
Version	
Producer	NSSO
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V420	Key_prsn	Key to locate person	discrete	character	
V421	Key_hhno	Key to locate Hhold	discrete	character	
V422	Rec_id	Record identifier	discrete	character	
V423	CSR	Centre code,Round,Shift	discrete	character	
V424	Round	Round	discrete	character	
V425	SchNo	Schedule Number	discrete	character	
V427	Sample	Sample	discrete	character	
V428	Sector	Sector	discrete	character	
V429	State_reg	State-Region	discrete	character	
V430	state	state code	discrete	character	
V431	District	District	discrete	character	
V432	Stratum	Stratum	discrete	character	
V433	Sub_Round	Sub-Round	discrete	character	
V434	Sub_Sample	Sub-Sample	discrete	character	
V435	FOD_SR	FOD Sub-Region	discrete	character	
V436	FSU	LOT/FSU Serial No.	discrete	character	
V437	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V438	SS_stratum	Second Stage Stratum	discrete	character	
V439	HS_No	Sample HHS No.	discrete	character	
V440	B10_q1	Srl. No. of ailing member	discrete	character	
V441	B10_q2	Age	contin	numeric	
V442	B10_q3	Medical service provided free	discrete	character	whether any medical service provided free by employer:
V443	B10_q4	Surgery	discrete	character	
V444	B10_q5	Medicine received	discrete	character	
V445	B10_q6	X-ray/ECG/EEG/Scan	discrete	character	
V446	B10_q7	Other diagnostic tests	discrete	character	
V447	B10_q8	Fee-Hospital staff(Rs)	contin	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V448	B10_q9	Fee- Other specialists(Rs)	contin	numeric	
V449	B10_q10	Medicines-from hospital(Rs)	contin	numeric	
V450	B10_q11	Medicines-from outside(Rs)	contin	numeric	
V451	B10_q12	Diagnostic tests(Rs)	contin	numeric	
V452	B10_q13	Attendant charges(Rs)	contin	numeric	
V453	B10_q14	Physiotherapy(Rs)	contin	numeric	
V454	B10_q15	Personal medical appliances(Rs)	contin	numeric	
V455	Wgt_combined	Mu;ltiplier combined	contin	numeric	
V456	wgt_ss	multiplier sub sample	contin	numeric	
V457	NSS	nss	contin	numeric	
V458	NSC	nsc	contin	numeric	
V459	Mult	Posted Multiplier	contin	numeric	

**Block-10-part-2--treatment-expenses-15-days-members-records**

Content	Block-10-part-2-of this dataset contains information pertaining to questions 16 to 22 relating to expenses incurred during the last 15 days for treatment of members (not as inpatient of hospital)
Cases	29931
Variable(s)	32
Structure	Type: relational Keys: Key_prsn(Key to locate person), Key_hhno(Key to locate Hhold)
Version	
Producer	NSSO
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V460	Key_prsn	Key to locate person	discrete	character	
V461	Key_hhno	Key to locate Hhold	discrete	character	
V462	Rec_id	Record identifier	discrete	character	
V463	CSR	Centre code, Round, Shift	discrete	character	
V464	FSU	LOT/FSU Serial No.	discrete	character	
V465	Round	Round	discrete	character	
V466	SchNo	Schedule Number	discrete	character	
V468	Sample	Sample	discrete	character	
V469	Sector	Sector	discrete	character	
V470	State_reg	State-Region	discrete	character	
V471	state	state code	discrete	character	
V472	District	District	discrete	character	
V473	Stratum	Stratum	discrete	character	
V474	Sub_Round	Sub-Round	discrete	character	
V475	Sub_Sample	Sub-Sample	discrete	character	
V476	FOD_SR	FOD Sub-Region	discrete	character	
V477	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V478	SS_stratum	Second Stage Stratum	discrete	character	
V479	HS_No	Sample HHS No.	discrete	character	
V480	B10_q1	Srl. No. of ailing member	discrete	character	
V481	B10_16	Food etc.(Rs)	contin	numeric	
V482	B10_17	Blood, Oxygen cylinder etc.(Rs)	contin	numeric	
V483	B10_18	Services(Rs)	contin	numeric	
V484	B10_19	Exp. not elsewhere reported(Rs)	contin	numeric	
V485	B10_20	Total exp. during stay(Rs)	contin	numeric	
V486	B10_21	Govt. Sources(Rs)	contin	numeric	
V487	B10_22	Other Sources(Rs)	contin	numeric	
V488	wgt_combined	Multiplier combined	contin	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V489	wgt_ss	Multiplier sub sample	contin	numeric	
V490	NSS	nss	contin	numeric	
V491	NSC	nsc	contin	numeric	
V492	Mult	Posted Multiplier	contin	numeric	

**Block-10-part-3--treatment-expenses-15-days-members-records**

Content	Block-10-part-3-of this dataset contains information pertaining to questions 23-26 and 33 to 37 relating to expenses incurred during the last 15 days for treatment of members (not as inpatient of hospital)
Cases	17466
Variable(s)	34
Structure	Type: relational Keys: Key_prsn(Key to locate person), Key_hhno(Key to locate HHno)
Version	
Producer	NSSO
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V493	Key_prsn	Key to locate person	discrete	character	
V494	Key_hhno	Key to locate HHno	discrete	character	
V495	Rec_id	Record identifier	discrete	character	
V496	CSR	Centre code, Round, Shift	discrete	character	
V497	Round	Round	discrete	character	
V498	SchNo	Schedule Number	discrete	character	
V500	Sample	Sample	discrete	character	
V501	Sector	Sector	discrete	character	
V502	State_reg	State-Region	discrete	character	
V503	state	state code	discrete	character	
V504	District	District	discrete	character	
V505	Stratum	Stratum	discrete	character	
V506	Sub_Round	Sub-Round	discrete	character	
V507	Sub_Sample	Sub-Sample	discrete	character	
V508	FOD_SR	FOD Sub-Region	discrete	character	
V509	FSU	LOT/FSU Serial No.	discrete	character	
V510	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V511	SS_stratum	Second Stage Stratum	discrete	character	
V512	HS_No	Sample HHS No.	discrete	character	
V513	B10_q1	Srl. No. of ailing member	discrete	character	
V514	B10_q23	Transport(Rs)	contin	numeric	
V515	B10_q24	Lodging charges etc.(Rs)	contin	numeric	
V516	B10_q25	Others(Rs)	contin	numeric	
V517	B10_q26	Total(Rs)	contin	numeric	
V518	B10_q33	Amount of reimbursement(Rs)	contin	numeric	
V519	B10_q34	Government(Rs)	contin	numeric	
V520	B10_q35	Private(Rs)	contin	numeric	
V521	B10_q36	Medical Insurance companies(Rs)	contin	numeric	

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V522	B10_q37	Other agencies(Rs)	contin	numeric	
V523	wgt_combined	Multiplier combined	contin	numeric	
V524	wgt_ss	Multiplier sub sample	contin	numeric	
V525	NSS	nss	contin	numeric	
V526	NSC	nsc	contin	numeric	
V527	Mult	Posted Multiplier	contin	numeric	

## Block-10-part-4--treatment-total-expenses-source-finance-household-records

Content	Block-10-part-4-of this dataset contains information pertaining to questions 27 to 32 relating to total expenses incurred by the household during the last 15 days for treatment of members (not as inpatient of hospital) and source of finance for meeting expenses
Cases	21616
Variable(s)	29
Structure	Type: relational Keys: Key_hhno(Key to locate HHno)
Version	
Producer	NSSO
Missing Data	

## Variables

ID	Name	Label	Type	Format	Question
V528	Key_hhno	Key to locate HHno	discrete	character	
V529	Rec_id	Record identifier	discrete	character	
V530	CSR	Centre code, Round, Shift	discrete	character	
V531	Round	Round	discrete	character	
V532	SchNo	Schedule Number	discrete	character	
V534	Sample	Sample	discrete	character	
V535	Sector	Sector	discrete	character	
V536	State_reg	State-Region	discrete	character	
V537	state	state code	discrete	character	
V538	District	District	discrete	character	
V539	Stratum	Stratum	discrete	character	
V540	Sub_Round	Sub-Round	discrete	character	
V541	Sub_Sample	Sub-Sample	discrete	character	
V542	FOD_SR	FOD Sub-Region	discrete	character	
V543	FSU	LOT/FSU Serial No.	discrete	character	
V544	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V545	SS_stratum	Second Stage Stratum	discrete	character	
V546	HS_No	Sample HHS No.	discrete	character	
V547	B10_q27	Total exp. incurred by hhld.(Rs)	contin	numeric	
V548	B10_q28	source of finance : Hhld. Income/savings(Rs)	contin	numeric	
V549	B10_q29	source of finance:- Borrowings(Rs)	contin	numeric	
V550	B10_q30	source of finance: Contributions(Rs)	contin	numeric	
V551	B10_q31	Other source of finance(Rs)	contin	numeric	
V552	B10_q32	source of finance - Total(Rs)	contin	numeric	
V553	wgt_combined	Multiplier combined	contin	numeric	
V554	wgt_ss	Multiplier sub sample	contin	numeric	



<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V555	NSS	nss	contin	numeric	
V556	NSC	nsc	contin	numeric	
V557	Mult	Posted Multiplier	contin	numeric	

**Block-11-immunisation-children-pre-natal-post-natal-care-women-records**

Content	This Dataset contains expenditure payable by the household for availing the services and goods relating to immunisation of children, and pre-natal and post-natal care of the ever married women of age below 50 years during last 365 days.
Cases	115108
Variable(s)	35
Structure	Type: Keys: ()
Version	
Producer	NSSO
Missing Data	

**Variables**

ID	Name	Label	Type	Format	Question
V558	Key_prsn	Key to locate person	discrete	character	
V559	Key_hhno	Key to locate HHno	discrete	character	
V560	Rec_id	Record identifier	discrete	character	
V561	CSR	Centre code,Round,Shift	discrete	character	
V562	Round	Round	discrete	character	
V563	SchNo	Schedule Number	discrete	character	
V565	Sample	Sample	discrete	character	
V566	Sector	Sector	discrete	character	
V567	State_reg	State-Region	discrete	character	
V568	state	state code	discrete	character	
V569	District	District	discrete	character	
V570	Stratum	Stratum	discrete	character	
V571	Sub_Round	Sub-Round	discrete	character	
V572	Sub_Sample	Sub-Sample	discrete	character	
V573	FOD_SR	FOD Sub-Region	discrete	character	
V574	FSU	LOT/FSU Serial No.	discrete	character	
V575	Sub_block	Hamlet Group/Sub-Block no.	discrete	character	
V576	SS_stratum	Second Stage Stratum	discrete	character	
V577	HS_No	Sample HHS No.	discrete	character	
V578	B11_c1	Person Srl. No.	discrete	character	
V579	B11_c2	Age	contin	numeric	
V580	B11_c3	Immunisation?	discrete	character	For children of age 0 to 4 years, whether any immunisation received:
V581	B11_c4	Expenditure incurred	contin	numeric	For children of age 0 to 4 years, expenditure incurred (Rs):
V582	B11_c5	Pregnant anytime?	discrete	character	
V583	B11_c6	Any pre- natal care ?	discrete	character	
V584	B11_c7	Expenditure incurred	contin	numeric	For 1 or 2 in col. 6, expenditure incurred (Rs):

<b>ID</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Question</b>
V585	B11_c8	Given birth to a child?	discrete	character	
V586	B11_c9	Exp. on child birth	contin	numeric	
V587	B11_c10	Post-natal care	discrete	character	
V588	B11_c11	Expenditure incurred	contin	numeric	
V589	wgt_combined	multiplier combined	contin	numeric	
V590	wgt_ss	multiplier sub sample	contin	numeric	
V591	NSS	nss	contin	numeric	
V592	NSC	nsc	contin	numeric	
V593	Mult	Posted Multiplier	contin	numeric	



**Key to locate HHno (Key\_HH)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 9

**Record identifier (Rec\_id)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 2

**Description**

Identifies the block number of schedule to which the record belongs to

**Centre code,Round,Shift (CSR)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 3

**Round (Round)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 2

**Schedule Number (SchNo)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 3

**Sample (Sample)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 1

**Sector (Sector)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 1

**State-Region (State\_reg)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 3

**State code (state)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 2

**District (District)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 2

**Stratum (Stratum)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 2

**Sub-Round (Sub\_Round)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 1

**Sub-Sample (Sub\_Sample)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 1	

**FOD Sub-Region (FOD\_SR)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 4	

**LOT/FSU Serial No. (FSU)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 5	

**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 1	

**Second Stage Stratum (SS\_stratum)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 1	

**Sample HHS No. (HS\_No)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 2	

**Informant Sl.No. (B1\_q16)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete	Valid cases: 73835
Format: numeric	Invalid: 33
Width: 2	
Decimals: 0	

**Interviewer instructions**

This item may be filled in after canvassing the schedule in the sample household. The person, who will provide major portion of the information for of the schedule, will be treated as the informant. His or her srl. no. will be copied from col. 1 of block 4 of this schedule. Note that the informant must be a household member.

**Response Code (B1\_q17)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete	Valid cases: 73862
Format: character	Invalid: 0
Width: 1	

**Interviewer instructions**

This item is also to be filled-in after canvassing the schedule. The type of informant, considering his co-operation and capability in providing the required information, will be recorded against this item in terms of specified response codes.

**Survey Code (B1\_q18)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 1	

**Interviewer instructions**

Whether the originally selected sample household has been surveyed or a substituted household has been surveyed will be indicated against this item. Code 1 will be recorded if the originally selected sample household has been surveyed, and code 2 otherwise. If neither the originally selected household nor the substituted household can be surveyed i.e., if the sample household is a casualty, code 3 will be recorded. In such cases only blocks 0, 1, 2, 12 and 13 will be filled in and on the top of the front page of the schedule the word 'CASUALTY' will be written and underlined.

**Substitution Code (B1\_q19)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Discrete	Valid cases: 2329
Format: character	Invalid: 0
Width: 1	

**Interviewer instructions**

For an originally selected sample household which could not be surveyed, irrespective of whether a substituted household could be surveyed or not, the reason for not surveying the original household will be recorded against item 18 in terms of the specified codes.

**Date of Survey (B2\_q2i)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords



**Date of Survey (B2\_q2i)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Continuous	Valid cases: 73843
Format: numeric	Invalid: 25
Width: 6	Minimum: 10104
Decimals: 0	Maximum: 310504
Range: 10104-310504	Mean: 175903.6
	Standard deviation: 77497.1

**Date of Despatch (B2\_q2ii)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Continuous	Valid cases: 73606
Format: numeric	Invalid: 262
Width: 6	Minimum: 10204
Decimals: 0	Maximum: 310504
Range: 10204-310504	Mean: 181326.1
	Standard deviation: 93789.5

**Time to canvass(mins.) (B2\_q4)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Continuous	Valid cases: 73769
Format: numeric	Invalid: 99
Width: 3	Minimum: 0
Decimals: 0	Maximum: 600
Range: 0-600	Mean: 102.9
	Standard deviation: 41.9

**Combined Multiplier (Wgt\_combined)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Continuous	Valid cases: 73868
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.3
Decimals: 2	Maximum: 89090.6
Range: 2.25-89090.625	Mean: 2690.9
	Standard deviation: 3368.4

**Sub-sample Multiplier (Wgt\_ss)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Continuous	Valid cases: 73868
Format: numeric	Invalid: 0
Width: 9	Minimum: 4.5
Decimals: 2	Maximum: 178181.3
Range: 4.5-178181.25	Mean: 5381.8
	Standard deviation: 6736.8

**nss (NSS)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Continuous	Valid cases: 73868
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 6.8
	Standard deviation: 6.3

**nsc (NSC)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Continuous	Valid cases: 73868
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 13.5
	Standard deviation: 12.7

**Posted Multiplier (Mult)**

File: Block-1-Identification-sample-hhold-and-field-operationr-ecords

**Overview**

Type: Continuous	Valid cases: 73868
Format: numeric	Invalid: 0
Width: 8	Minimum: 450
Decimals: 0	Maximum: 17818125
Range: 450-17818125	Mean: 538178
	Standard deviation: 673678.6

**Key to locate HHno (Key\_hh)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 9Valid cases: 73868  
Invalid: 0**Record identifier (Rec\_id)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 73868  
Invalid: 0**Centre code, Round, Shift (CSR)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 3Valid cases: 73868  
Invalid: 0**Round (Round)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 73868  
Invalid: 0**Schedule Number (SchNo)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 3Valid cases: 73868  
Invalid: 0**Sample (Sample)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 73868  
Invalid: 0

**Sector (Sector)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 1	

**State-Region (State\_reg)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 3	

**state code (state)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 2	

**District (District)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 2	

**Stratum (Stratum)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 2	

**Sub-Round (Sub\_Round)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Discrete	Valid cases: 73868
Format: character	Invalid: 0
Width: 1	

**Sub-Sample (Sub\_Sample)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 73868  
Invalid: 0**FOD Sub-Region (FOD\_SR)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 4Valid cases: 73868  
Invalid: 0**LOT/FSU Serial No. (FSU)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 5Valid cases: 73868  
Invalid: 0**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 73868  
Invalid: 0**Second Stage Stratum (SS\_stratum)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 73868  
Invalid: 0**Sample HHS No. (HS\_No)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 73868  
Invalid: 0

## HHS Size (Hhsize)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0

Valid cases: 73868  
Invalid: 0

### Interviewer instructions

The size of the sample household will be recorded against this item. For detailed definition please see paras 1.9.1 to 1.9.3 of Chapter One. This number will be same as the last serial number recorded in column 1 of block 4.

## NIC Code(5-digit) (B3\_q2)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete  
Format: character  
Width: 5

Valid cases: 68994  
Invalid: 0

### Interviewer instructions

principal industry (NIC-1998): The description of the principal household industry will be recorded in the space provided. The cell for entry against item 2 has been split for recording each digit separately. The appropriate five-digit industry code of the NIC 1998 will be recorded here.

## NCO Code(3-digit) (B3\_q3)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete  
Format: character  
Width: 3

Valid cases: 68985  
Invalid: 0

### Interviewer instructions

principal occupation (NCO-1968): The description of the principal household occupation will be recorded in the space provided. The appropriate three-digit occupation code of the NCO 1968 is to be recorded in the three cells, which have been provided for recording each digit separately. The procedure for determination of principal industry and occupation has been described in para 1.9.37 of Chapter One.

## HHS type (B3\_q4)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete  
Format: character  
Width: 2

Valid cases: 73868  
Invalid: 0

### Interviewer instructions

The household type code based on the means of livelihood of a household will be decided on the basis of the source of the household's income during the 365 days preceding the date of survey. For this purpose, only the household's income (net income and not gross income) from economic activities will be considered; but the incomes of servants and paying guests will not be taken into account.

The codes are re-generated by concatenating sector code

## Religion (B3\_q5)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 73865

Invalid: 0

### Interviewer instructions

The religion of the household will be recorded against this item in codes. If different members of the household belong to different religions, the religion of the head of the household will be considered as the religion of the household.

## Social Group (B3\_q6)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 73845

Invalid: 0

### Interviewer instructions

Whether or not the household belongs to scheduled tribe, scheduled caste or other backward class will be indicated against this item in terms of the specified codes

## Land Possessed (B3\_q7)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete

Format: character

Width: 2

Valid cases: 73705

Invalid: 0

### Interviewer instructions

Land possessed is given by (land owned including land under 'owner like possession') + (land leased-in) - (land leased out) + (any land possessed by the household which is neither owned nor leased-in). For detailed definition please see para 1.9.10 of Chapter One. The land possessed by the household is to be recorded in terms of specified codes

## Type of Structure (B3\_q8)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 73854

Invalid: 0

### Interviewer instructions

The type of structure refers to the materials used for different parts of building and is to be identified as per the definitions given earlier for each of the different types of structure viz., pucca, semi-pucca, serviceable kutcha and non-serviceable kutcha. For detailed definition please see paras 1.9.4 to 1.9.6 of Chapter One. If the household had no structure to live in, it is also to be entered against this item.

## Type of Latrine (B3\_q9)

File: Block-3-socio-economic-characteristics-household-records

### Overview

## Type of Latrine (B3\_q9)

File: Block-3-socio-economic-characteristics-household-records

Type: Discrete

Valid cases: 73840

Format: character

Invalid: 0

Width: 1

### Interviewer instructions

The information about the type of latrine used by the household will be recorded in codes. If the household does not have any latrine facility, i.e., its members use open area as latrine code 4 will be recorded. In a few areas, one may still come across latrines that are serviced by scavengers. These are called service latrines. A latrine connected to underground sewerage system is called flush system latrine. A latrine connected to underground septic chambers will be considered as a septic tank latrine. A latrine connected to a pit dug in earth is called a pit latrine. If the household uses a latrine of any other type, code 9 will be recorded.

## Type of Drainage (B3\_q10)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete

Valid cases: 73851

Format: character

Invalid: 0

Width: 1

### Interviewer instructions

Drainage arrangement means arrangement for carrying off the wastewater and liquid waste of the house. Information on the type of drainage available to the household members will be recorded against this item in codes.

## Source of Drinking Water (B3\_q11)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete

Valid cases: 73862

Format: character

Invalid: 0

Width: 1

### Interviewer instructions

The information in respect of the household's major source of drinking water will be collected and entered against this item in codes.

## Drinking water treated? (B3\_q12)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete

Valid cases: 73868

Format: character

Invalid: 0

Width: 1

### Interviewer instructions

It is to be ascertained whether any treatment of water is done before drinking. Some involve the precipitation of soluble impurities and others, the separating out of insoluble impurities through various kinds of "filters" including cloth screens. Bacteria in the water are killed by boiling the water or by ultraviolet rays in the "Aquaguard"-type water treatment appliances. All these cases are to be considered as "treatment" of water. If any such treatment of water is done before drinking then code 1 is to be recorded. Otherwise, code 2 will be recorded.

## Type of water treatment (B3\_q13)

File: Block-3-socio-economic-characteristics-household-records



## Type of water treatment (B3\_q13)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete	Valid cases: 20664
Format: character	Invalid: 0
Width: 1	

### Interviewer instructions

The entries are to be recorded here in codes. Treatment of water with "Zeoline"-type tablets or with alum or with bleaching powder, may be classified under 'any disinfectant' (code 5). "Filter" (code 3) refers to commercially produced filters (usually of the "candle" type). "Aquaguard"-type appliances, although they contain a filtering device in addition to the ultraviolet radiation chamber, will not be classified under "filter" but will get code 1.

## Source of energy for cooking (B3\_q14)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete	Valid cases: 73842
Format: character	Invalid: 0
Width: 2	

### Interviewer instructions

Against this item, the code corresponding to the primary source of energy that is used by the household for cooking during last 30 days preceding the date of survey, will be recorded. If more than one type of energy is utilised, the primary or principal one on the basis of its use will have to be identified and the corresponding code will be noted in the appropriate box.

## Any pet animal? (B3\_q15)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Discrete	Valid cases: 73524
Format: character	Invalid: 0
Width: 1	

### Interviewer instructions

It is to be ascertained whether the household has any pet animals like pet dogs, cats, birds, etc. in the same premises. The information is to be recorded in terms of code. Code 1 will be recorded if the household has any pet animal and 2 otherwise.

## Hhld. Exp.-Purchase(Rs) (B3\_q16)

File: Block-3-socio-economic-characteristics-household-records

### Overview

Type: Continuous	Valid cases: 73588
Format: numeric	Invalid: 280
Width: 6	Minimum: 0
Decimals: 0	Maximum: 102000
Range: 0-102000	Mean: 2815.5
	Standard deviation: 2617.4

### Interviewer instructions

Items 16 to 21: household consumer expenditure during last 30 days: Basically, the five items 16-20 constitute a break-up of monthly household consumer expenditure (item 21) corresponding to five different ways - cash payment and four alternatives - in which an item of consumption may be acquired by a household or may become available to a household.

**Hhld. Exp.-Home-Produced Stock(Rs) (B3\_q17)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Continuous	Valid cases: 35996
Format: numeric	Invalid: 37872
Width: 6	Minimum: 0
Decimals: 0	Maximum: 215000
Range: 0-215000	Mean: 831.5
	Standard deviation: 1510.9

**Hhld. Exp.-Receipts in Exchange(Rs) (B3\_q18)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Continuous	Valid cases: 7508
Format: numeric	Invalid: 66360
Width: 5	Minimum: 0
Decimals: 0	Maximum: 25000
Range: 0-25000	Mean: 239.8
	Standard deviation: 531.2

**Hhld. Exp.-Gifts and Loans(Rs) (B3\_q19)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Continuous	Valid cases: 10428
Format: numeric	Invalid: 63440
Width: 5	Minimum: 0
Decimals: 0	Maximum: 50000
Range: 0-50000	Mean: 299.7
	Standard deviation: 1122.5

**Hhld. Exp.-Free Collection(Rs) (B3\_q20)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Continuous	Valid cases: 34838
Format: numeric	Invalid: 39030
Width: 5	Minimum: 0
Decimals: 0	Maximum: 30000
Range: 0-30000	Mean: 201.4
	Standard deviation: 323.1

**Hhld. Exp.-Total(Rs) (B3\_q21)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Continuous	Valid cases: 73863
Format: numeric	Invalid: 5
Width: 6	Minimum: 0
Decimals: 0	Maximum: 220000
Range: 0-220000	Mean: 3371.9
	Standard deviation: 2940.4

**Multiplier Combined (Mult\_combined)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Continuous	Valid cases: 73868
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.3
Decimals: 2	Maximum: 89090.6
Range: 2.25-89090.625	Mean: 2690.9
	Standard deviation: 3368.4

**Multiplier ss (Mult\_ss)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Continuous	Valid cases: 73868
Format: numeric	Invalid: 0
Width: 9	Minimum: 4.5
Decimals: 2	Maximum: 178181.3
Range: 4.5-178181.25	Mean: 5381.8
	Standard deviation: 6736.8

**nss (NSS)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Continuous	Valid cases: 73868
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 6.8
	Standard deviation: 6.3

**nsc (NSC)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Continuous	Valid cases: 73868
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 13.5
	Standard deviation: 12.7

**Posted Multiplier (Mult)**

File: Block-3-socio-economic-characteristics-household-records

**Overview**

Type: Continuous	Valid cases: 73868
Format: numeric	Invalid: 0
Width: 8	Minimum: 450
Decimals: 0	Maximum: 17818125
Range: 450-17818125	Mean: 538178
	Standard deviation: 673678.6



**Key to locate Prson (key\_Persn)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete

Format: character

Width: 11

Valid cases: 383338

Invalid: 0

**Key to locate hhno (key\_hh)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete

Format: character

Width: 9

Valid cases: 383338

Invalid: 0

**Record identifier (Rec\_id)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 383338

Invalid: 0

**Centre code, Round, Shift (CSR)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 383338

Invalid: 0

**Round (Round)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 383338

Invalid: 0

**Schedule Number (SchNo)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 383338

Invalid: 0

**Sample (Sample)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete	Valid cases: 383338
Format: character	Invalid: 0
Width: 1	

**Sector (Sector)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete	Valid cases: 383338
Format: character	Invalid: 0
Width: 1	

**State-Region (State\_reg)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete	Valid cases: 383338
Format: character	Invalid: 0
Width: 3	

**state code (state)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete	Valid cases: 383338
Format: character	Invalid: 0
Width: 2	

**District (District)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete	Valid cases: 383338
Format: character	Invalid: 0
Width: 2	

**Stratum (Stratum)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete	Valid cases: 383338
Format: character	Invalid: 0
Width: 2	

**Sub-Round (Sub\_Round)**

File: Block-4-Demographic-particulars-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 383338  
Invalid: 0**Sub-Sample (Sub\_Sample)**

File: Block-4-Demographic-particulars-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 383338  
Invalid: 0**FOD Sub-Region (FOD\_SR)**

File: Block-4-Demographic-particulars-members-records

**Overview**Type: Discrete  
Format: character  
Width: 4Valid cases: 383338  
Invalid: 0**LOT/FSU Serial No. (FSU)**

File: Block-4-Demographic-particulars-members-records

**Overview**Type: Discrete  
Format: character  
Width: 5Valid cases: 383338  
Invalid: 0**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-4-Demographic-particulars-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 383338  
Invalid: 0**Second Stage Stratum (SS\_stratum)**

File: Block-4-Demographic-particulars-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 383338  
Invalid: 0

**Sample HHS No. (HS\_No)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 383338  
 Invalid: 0

**Person Srl. No. (Person\_sln)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 383338  
 Invalid: 0

**Interviewer instructions**

All the members of the sample household will be listed in block 4 using a continuous serial number in column 1. In the list, the head of the household will appear first followed by head's spouse, the first son, first son's wife and their children, second son, second son's wife and their children & so on. After the sons are enumerated, the daughters will be listed followed by other relations, dependants, servants, etc.

**Relation to Head (B4\_c3)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 383338  
 Invalid: 0

**Interviewer instructions**

The family relationship of each member of the household with the head of the household (for the head, the relationship is 'self') expressed in terms of specified codes will be recorded in this column.

**Sex (B4\_c4)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 383338  
 Invalid: 0

**Interviewer instructions**

For each and every member of the household, sex in terms of the code (male-1, female-2) will be recorded in this column.

**Age (B4\_c5)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-819

Valid cases: 383338  
 Invalid: 0  
 Minimum: 0  
 Maximum: 819  
 Mean: 27.3  
 Standard deviation: 20.1



**Age (B4\_c5)**

File: Block-4-Demographic-particulars-members-records

**Interviewer instructions**

The age in completed years of all the members listed will be ascertained and recorded in column 5. For infants below one year of age at the time of listing, '0' will be entered in column 5. Similarly, for persons of age 109 years or more, 99 will be entered in this column.

**Marital Status (B4\_c6)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 383338

Invalid: 0

**Interviewer instructions**

The marital status of each member will be recorded in terms of the specified code in this column.

**General Education Level (B4\_c7)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 382995

Invalid: 0

**Interviewer instructions**

Information regarding the level of general education attained by the members of the household listed will be recorded in column 7 in terms of the specified code. For the purpose of making entries in this column, only the course successfully completed will be considered. For instance, for a person who has studied up to say, first year B.A., his/her educational attainment will be considered as higher secondary (code 07). For a person who has studied up to 12th standard but has not appeared for the final examination or has failed, his/her educational attainment will be considered under 'secondary' (code 06).

**Usual Activity Status (B4\_c8)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 383338

Invalid: 0

**Interviewer instructions**

The usual (principal) activity status (as defined in para 1.9.25) of each of the persons will be ascertained and recorded in this column as per the codes

**Whether hospitalised? (B4\_c9)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 383338

Invalid: 0

**Interviewer instructions**

**Whether hospitalised? (B4\_c9)**

File: Block-4-Demographic-particulars-members-records

Whether or not the members of household were hospitalised during last 365 days for treatment of ailments will be enquired upon. Code 1 will be recorded for those who were hospitalised and 2 otherwise.

**No. of times hospitalised (B4\_c10)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Continuous  
Format: numeric  
Width: 1  
Decimals: 0

Valid cases: 29036  
Invalid: 354302

**Interviewer instructions**

The 'number of times hospitalised' means the number of cases of hospitalisation (see paras 1.9.46 and 1.9.47 of Chapter One for definition of ailment and hospitalisation). Those who were hospitalised for treatment of any ailment during last 365 days i.e., those with code 1 in column 9, for each of them the number of cases of hospitalisation will be entered here.

**Whether ailing-last 15 days? (B4\_c11)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete  
Format: character  
Width: 1

Valid cases: 383338  
Invalid: 0

**Interviewer instructions**

For each member of the household, it will be enquired whether he/she suffered from any ailment anytime during last 15 days. Those who suffered from any ailment, code 1 will be recorded for them. Otherwise, code 2 will be recorded. It may be noted that some ailments may be treated (either as an inpatient of a hospital or otherwise) and some untreated - both the cases should be considered here.

**Whether ailing-on the day before? (B4\_c12)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete  
Format: character  
Width: 1

Valid cases: 381565  
Invalid: 0

**Interviewer instructions**

whether ailing on the day before the date of survey : As in column 11, here the reference period is one day - the day before the date of survey. If any member was ailing on the day before the date of survey, for him/her code 1 will be entered here, otherwise code 2 will be entered

**Reporting in col-11-12? (B4\_c13)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Discrete  
Format: character  
Width: 1

Valid cases: 379418  
Invalid: 0

**Interviewer instructions**

## Reporting in col-11-12? (B4\_c13)

### File: Block-4-Demographic-particulars-members-records

As has already been mentioned, efforts are to be made to collect information relating to ailments of each household member from the member themselves. But in spite of the best efforts it may be possible that this information is provided by some other person, say the head of the household. Code 1 is to be recorded under this column if the ailing member himself/herself provides information for his/her ailments during last 15 days or for the day before the date of survey (cols. 11 & 12). Otherwise, code 2 may be recorded.

## Medical Insurance Premium(Rs) (B4\_c14)

### File: Block-4-Demographic-particulars-members-records

#### Overview

Type: Continuous	Valid cases: 83607
Format: numeric	Invalid: 299731
Width: 5	Minimum: 0
Decimals: 0	Maximum: 80000
Range: 0-80000	Mean: 24
	Standard deviation: 487.4

#### Literal question

annual amount paid on medical insurance premium

#### Interviewer instructions

Annual amount of money paid by the household as medical insurance premium for each of the household member will be recorded under column 14 in whole number of rupees. Similarly, amount of money paid for various health schemes like that of CGHS, ESI, etc. will be recorded under column 15. It may be noted that for medical insurance premium, only the amount, which is paid for a particular member, will be recorded against that member. In case a fixed amount is paid annually for CGHS or ESI, etc. by the household, the amount is to be apportioned equally between the members of the household who are covered by the health scheme and recorded against each of them. In the case of contribution for CGHS or ESI, if a part of the money is still payable for the last year, it is also to be considered here for recording. If no such amount is paid, a '0' mark may be recorded.

## Health Schemes(Rs) (B4\_c15)

### File: Block-4-Demographic-particulars-members-records

#### Overview

Type: Continuous	Valid cases: 84107
Format: numeric	Invalid: 299231
Width: 8	Minimum: 0
Decimals: 0	Maximum: 61005103
Range: 0-61005103	Mean: 733.9
	Standard deviation: 210353.7

#### Literal question

annual amount paid on health schemes like the CGHS, ESI, etc.:

## Multiplier Combined (Mult\_combined)

### File: Block-4-Demographic-particulars-members-records

#### Overview

Type: Continuous	Valid cases: 383338
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.3
Decimals: 2	Maximum: 89090.6
Range: 2.25-89090.625	Mean: 2501.5
	Standard deviation: 3124.3

**Multiplier SS (Mult\_SS)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Continuous	Valid cases: 383338
Format: numeric	Invalid: 0
Width: 9	Minimum: 4.5
Decimals: 2	Maximum: 178181.3
Range: 4.5-178181.25	Mean: 5003
	Standard deviation: 6248.7

**nss (NSS)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Continuous	Valid cases: 383338
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 6.6
	Standard deviation: 6.1

**nsc (NSC)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Continuous	Valid cases: 383338
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 13.2
	Standard deviation: 12.3

**Posted Multiplier (Mult)**

File: Block-4-Demographic-particulars-members-records

**Overview**

Type: Continuous	Valid cases: 383338
Format: numeric	Invalid: 0
Width: 8	Minimum: 450
Decimals: 0	Maximum: 17818125
Range: 450-17818125	Mean: 500300.8
	Standard deviation: 624869.2

**Key to locate Person (Key\_prsn)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 11	

**Key to locate HHno (Key\_hhno)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 9	

**Record identifier (Rec\_id)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 2	

**Centre code, Round, Shift (CSR)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 3	

**Round (Round)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 2	

**Schedule Number (SchNo)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 3	

**Sample (Sample)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 1	

**Sector (Sector)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 1	

**State-Region (State\_reg)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 3	

**state code (state)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 2	

**District (District)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 2	

**Stratum (Stratum)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 2	

**Sub-Round (Sub\_Round)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 1717

Invalid: 0

**Sub-Sample (Sub\_Sample)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 1717

Invalid: 0

**FOD Sub-Region (FOD\_SR)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete

Format: character

Width: 4

Valid cases: 1717

Invalid: 0

**LOT/FSU Serial No. (FSU)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete

Format: character

Width: 5

Valid cases: 1717

Invalid: 0

**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 1717

Invalid: 0

**Second Stage Stratum (SS\_stratum)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 1717

Invalid: 0

**Sample HHS No. (HS\_No)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 2	

**Person Srl. No. (B5\_q1)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 2	

**Interviewer instructions**

This block is meant for listing the persons who were members of the sample household and have died during the last 365 days preceding the day of survey. The particulars of death like, age at death, medical attention before death, whether hospitalised during the last 365 days or not, etc. are to be recorded in this block. For females, information relating to pregnancy and time of death with respect to pregnancy are also to be collected. The information to be recorded in different columns of the block

**Sex (B5\_q3)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1717
Format: character	Invalid: 0
Width: 1	

**Age at Death (B5\_q4)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Continuous	Valid cases: 1702
Format: numeric	Invalid: 15
Width: 3	Minimum: 0
Decimals: 0	Maximum: 212
Range: 0-212	Mean: 47.7
	Standard deviation: 28.6

**Interviewer instructions**

For each deceased person, the age at death in completed years will be recorded against this item.

**Medical attention received (B5\_q5)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Discrete	Valid cases: 1715
Format: character	Invalid: 0
Width: 1	

**Literal question**

medical attention received before death:



## Medical attention received (B5\_q5)

File: Block-5-particulars-of-deaths-records

### Interviewer instructions

It will be ascertained whether the deceased person received any medical attention before death or not and the information be recorded in terms of codes 1 or 2. Type of medical attention received by the deceased before death may be from government institution, private institution, registered medical practitioners, etc.

## Whether hospitalised? (B5\_q6)

File: Block-5-particulars-of-deaths-records

### Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 1717

Invalid: 0

### Interviewer instructions

his column will be filled-in for the deceased who were hospitalised for treatment before death during last 365 days. Code 1 will be recorded in case the deceased was hospitalised, otherwise code 2 will be recorded.

## No. of times hospitalised (B5\_q7)

File: Block-5-particulars-of-deaths-records

### Overview

Type: Continuous

Format: numeric

Width: 1

Decimals: 0

Valid cases: 629

Invalid: 1088

### Interviewer instructions

For the deceased who were hospitalised during last 365 days preceding the day of survey, i.e. those with code 1 in column 6, the number of times of hospitalisation will be recorded here. Here, number of times hospitalised means the cases of hospitalisation for a person (

## Whether pregnant? (B5\_q8)

File: Block-5-particulars-of-deaths-records

### Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 730

Invalid: 0

### Interviewer instructions

Columns 8 and 9: for the deceased females it will be ascertained whether they were pregnant during the last 365 days (col. 8) and if pregnant, time of death (col. 9): This column will be filled-in for those ever married woman who were pregnant any time during last 365 days and died subsequently. The time of death in respect of their pregnancy will be enquired upon and recorded in codes.

## Time of Death (B5\_q9)

File: Block-5-particulars-of-deaths-records

### Overview

Type: Discrete

Format: character

Width: 1

Valid cases: 25

Invalid: 0

**Medical insurance premium(Rs) (B5\_q10)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Continuous	Valid cases: 532
Format: numeric	Invalid: 1185
Width: 4	Minimum: 0
Decimals: 0	Maximum: 8000
Range: 0-8000	Mean: 55.7
	Standard deviation: 481.9

**Interviewer instructions**

amount paid during the last 365 days on medical insurance premium

**Health Schemes(Rs) (B5\_q11)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Continuous	Valid cases: 530
Format: numeric	Invalid: 1187
Width: 4	Minimum: 0
Decimals: 0	Maximum: 2000
Range: 0-2000	Mean: 7.1
	Standard deviation: 98.2

**Interviewer instructions**

amount paid during the last 365 days on health schemes like the CGHS, ESI, etc.:

**Multiplier combined (Mult\_combined)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Continuous	Valid cases: 1717
Format: numeric	Invalid: 0
Width: 8	Minimum: 8.6
Decimals: 2	Maximum: 21297.8
Range: 8.595-21297.785	Mean: 2084.1
	Standard deviation: 2682.1

**Multiplier subsample/ (Mult\_ss)**

File: Block-5-particulars-of-deaths-records

**Overview**

Type: Continuous	Valid cases: 1717
Format: numeric	Invalid: 0
Width: 8	Minimum: 17.2
Decimals: 2	Maximum: 42595.6
Range: 17.19-42595.57	Mean: 4168.3
	Standard deviation: 5364.3

**nss (NSS)**

File: Block-5-particulars-of-deaths-records

**Overview**

**nss (NSS)****File: Block-5-particulars-of-deaths-records**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-40

Valid cases: 1717  
 Invalid: 0  
 Minimum: 1  
 Maximum: 40  
 Mean: 6.1  
 Standard deviation: 5

**nsc (NSC)****File: Block-5-particulars-of-deaths-records****Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 3-80

Valid cases: 1717  
 Invalid: 0  
 Minimum: 3  
 Maximum: 80  
 Mean: 12.2  
 Standard deviation: 10

**Posted Multiplier (Mult)****File: Block-5-particulars-of-deaths-records****Overview**

Type: Continuous  
 Format: numeric  
 Width: 7  
 Decimals: 0  
 Range: 1719-4259557

Valid cases: 1717  
 Invalid: 0  
 Minimum: 1719  
 Maximum: 4259557  
 Mean: 416825.1  
 Standard deviation: 536429.5

**Key to locate Person (Key\_prsn)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete	Valid cases: 34831
Format: character	Invalid: 0
Width: 11	

**Key to locate hOUSEno (Key\_HHNO)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete	Valid cases: 34831
Format: character	Invalid: 0
Width: 8	

**Record identifier (Rec\_id)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete	Valid cases: 34831
Format: character	Invalid: 0
Width: 2	

**Centre code,Round,Shift (CSR)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete	Valid cases: 34831
Format: character	Invalid: 0
Width: 3	

**Round (Round)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete	Valid cases: 34831
Format: character	Invalid: 0
Width: 2	

**Schedule Number (SchNo)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete	Valid cases: 34831
Format: character	Invalid: 0
Width: 3	

**Sample (Sample)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 34831  
 Invalid: 0

**Sector (Sector)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 34831  
 Invalid: 0

**State-Region (State\_reg)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 3

Valid cases: 34831  
 Invalid: 0

**state code (state)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 34831  
 Invalid: 0

**District (District)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 34831  
 Invalid: 0

**Stratum (Stratum)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 34831  
 Invalid: 0

**Sub-Round (Sub\_Round)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 34831

Invalid: 0

**Sub-Sample (Sub\_Sample)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 34831

Invalid: 0

**FOD Sub-Region (FOD\_SR)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete

Format: character

Width: 4

Valid cases: 34831

Invalid: 0

**LOT/FSU Serial No. (FSU)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete

Format: character

Width: 5

Valid cases: 34831

Invalid: 0

**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 34831

Invalid: 0

**Second Stage Stratum (SS\_stratum)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 34831

Invalid: 0

**Sample HHS No. (HS\_No)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete	Valid cases: 34831
Format: character	Invalid: 0
Width: 2	

**Member Srl. No. (B6\_q1)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete	Valid cases: 34831
Format: character	Invalid: 0
Width: 2	

**Interviewer instructions**

Particulars of economic independence and ailments for persons aged 60 years and above: This block will be used for recording details of economic independence or otherwise of the aged persons, their economic condition, living arrangement along with the details of ailments from which they are suffering on the day of survey. The information in this block may be collected from the aged himself/herself as far as possible.

The serial number of each of the persons of age 60 years and above (henceforth referred to as 'aged persons') is to be copied from block 4 and recorded in this item following the same sequence as they appear there.

**Age (B6\_q2)**

File: Block-6-aged-persons-records

**Overview**

Type: Continuous	Valid cases: 34831
Format: numeric	Invalid: 0
Width: 3	Minimum: 60
Decimals: 0	Maximum: 819
Range: 60-819	Mean: 67.8
	Standard deviation: 11.1

**No. of sons living (B6\_q3)**

File: Block-6-aged-persons-records

**Overview**

Type: Continuous	Valid cases: 32129
Format: numeric	Invalid: 2702
Width: 2	
Decimals: 0	

**No. of daughters living (B6\_q4)**

File: Block-6-aged-persons-records

**Overview**

Type: Continuous	Valid cases: 30692
Format: numeric	Invalid: 4139
Width: 2	
Decimals: 0	

**State of economic independence (B6\_q5)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 34229

Invalid: 0

**Interviewer instructions**

An aged person is to be considered economically dependent on others if he/she is required to take financial help from others in order to lead his/her day-to-day normal life. The information on economic independence of the aged persons will be collected and relevant codes entered against this item

If the aged person is to depend partly or fully for his/her day-to-day normal life, then code 2 or 3 is to be recorded depending upon the situation.

**No. of Dependents (B6\_q6)**

File: Block-6-aged-persons-records

**Overview**

Type: Continuous

Format: numeric

Width: 2

Decimals: 0

Valid cases: 11800

Invalid: 23031

**Literal question**

For code 1 in item 5, no. of dependants:

**Interviewer instructions**

For the aged persons who are not economically dependant on others, information on the number of persons depending economically on them is to be collected and recorded against this item. In other words, through this item the number of dependants of an economically independent aged person will be collected. It may be noted that a dependant need not necessarily be the household member. '0' may be entered for a person if he does not have anyone dependent on him. However, the domestic servants, paying guests and employees residing in the household will not be considered for counting the number of dependents.

**Person financially supporting (B6\_q7)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 22429

Invalid: 0

**Literal question**

For code 2 or 3 in item 5, person financially supporting aged person:

**Interviewer instructions**

For an aged person who is dependent - partially or fully - on others, information about the person(s) who financially support(s) him/her will be recorded against this item. In this case also, the person providing the financial support to the aged need not necessarily be the household member

**Amount of Loan Outstanding (B6\_q8)**

File: Block-6-aged-persons-records

**Overview**



## Amount of Loan Outstanding (B6\_q8)

File: Block-6-aged-persons-records

Type: Continuous  
Format: numeric  
Width: 7  
Decimals: 0  
Range: 0-1600000

Valid cases: 5621  
Invalid: 29210  
Minimum: 0  
Maximum: 1600000  
Mean: 10246.3  
Standard deviation: 43670.5

### Literal question

For code 1 in item 5, amount of loan(s) outstanding (Rs.):

### Interviewer instructions

This item will be filled in for each of the economically independent aged person. Information on the loans outstanding on the date of survey will be collected and entered against this item in whole number of rupees. A loan is any borrowing to be repaid in cash or kind. This should include the amount due for payment in the case of hire-purchase. When a loan is granted by a banker/financier, the whole amount is placed at the disposal of the borrower and interest, at an agreed rate, is charged from the date of loan. In case a person has more than one loan, the total amount outstanding (including interest) will be entered.

## Living Arrangement (B6\_q9)

File: Block-6-aged-persons-records

### Overview

Type: Discrete  
Format: character  
Width: 1

Valid cases: 34104  
Invalid: 0

### Interviewer instructions

The living arrangement of the aged persons will be recorded against this item in terms of codes

## Staying nearby? (B6\_q10)

File: Block-6-aged-persons-records

### Overview

Type: Discrete  
Format: character  
Width: 1

Valid cases: 5377  
Invalid: 0

### Literal question

For codes 1, 2 or 3 in item 9, whether child / grandchild / sibling staying nearby:

### Interviewer instructions

This item will be filled in for aged persons who are staying alone or staying with spouse only. It is to be first ascertained whether the aged person is having any child / grand child / sibling or not and if they have, then to enquire about their place of stay. The information thus obtained will be recorded in codes here.

For those who do not have any child / grandchild / sibling living, code 4 will be applicable for them.

## Physical Mobility (B6\_q11)

File: Block-6-aged-persons-records

### Overview

Type: Discrete  
Format: character  
Width: 1

Valid cases: 34045  
Invalid: 0

### Interviewer instructions

## Physical Mobility (B6\_q11)

### File: Block-6-aged-persons-records

Persons who are unable to go to lavatory/latrine on their own will be treated as physically immobile. Person who are able to go to lavatory/latrine and also able to move within the house but unable to move outside the house will also be treated as physically immobile.

## Person helping (B6\_q12)

### File: Block-6-aged-persons-records

#### Overview

Type: Discrete

Valid cases: 3178

Format: character

Invalid: 0

Width: 1

#### Literal question

For code 1 or 2 in item 11, person helping:

#### Interviewer instructions

Information on the person helping the physically immobile person (code 1 or 2 in item 11) will be collected and recorded against this item.

## Ailment 1 (B6\_q13)

### File: Block-6-aged-persons-records

#### Overview

Type: Discrete

Valid cases: 14009

Format: character

Invalid: 0

Width: 2

#### Interviewer instructions

Items 13 to 17: ailments on the date of enquiry: Provision has kept to record information on up to five ailments that an aged person may suffer on the day of survey. In case an aged person is suffering from more than five ailments on the date of survey, the information on the first five ailments, depending on their severity as reported by the aged person, will be recorded through items 13 to 17 in terms of codes.

## Ailment 2 (B6\_q14)

### File: Block-6-aged-persons-records

#### Overview

Type: Discrete

Valid cases: 3292

Format: character

Invalid: 0

Width: 2

## Ailment 3 (B6\_q15)

### File: Block-6-aged-persons-records

#### Overview

Type: Discrete

Valid cases: 720

Format: character

Invalid: 0

Width: 2

## Ailment 4 (B6\_q16)

### File: Block-6-aged-persons-records

**Ailment 4 (B6\_q16)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 129  
 Invalid: 0

**Ailment 5 (B6\_q17)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 39  
 Invalid: 0

**Treatment for Ailment 1 (B6\_q18)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 13881  
 Invalid: 0

**Literal question**

whether any treatment taken for ailments reported above (against items 13 to 17):

**Interviewer instructions**

Items 18 to 22: For each of the ailments recorded against items 13 to 17, information as to whether any treatment was taken for each of them or not will be recorded against items 18 to 22, respectively. Code 1 is to be recorded if any treatment was taken, otherwise code 2 will be recorded.

**Treatment for Ailment 2 (B6\_q19)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 3242  
 Invalid: 0

**Treatment for Ailment 3 (B6\_q20)**

File: Block-6-aged-persons-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 704  
 Invalid: 0

**Treatment for Ailment 4 (B6\_q21)**

File: Block-6-aged-persons-records

**Overview**

**Treatment for Ailment 4 (B6\_q21)**

File: Block-6-aged-persons-records

Type: Discrete  
Format: character  
Width: 1Valid cases: 125  
Invalid: 0**Treatment for Ailment 5 (B6\_q22)**

File: Block-6-aged-persons-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 33  
Invalid: 0**Own perception-Current state (B6\_q23)**

File: Block-6-aged-persons-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 33181  
Invalid: 0**Literal question**

own perception about current state of health

**Interviewer instructions**

: Current state of health, as reported preferably by the aged person himself/herself, will be recorded here in codes.

**Own perception- Relative state (B6\_q24)**

File: Block-6-aged-persons-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 33181  
Invalid: 0**Literal question**

own perception about relative state of health:

**Interviewer instructions**

In this item, the perception of the aged person about his/her health condition, as compared to the previous year, will be recorded. The relative state of health of the aged will be recorded in codes

**Multiplier combined (Mult\_combined)**

File: Block-6-aged-persons-records

**Overview**Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 2  
Range: 2.25-41118.75Valid cases: 34831  
Invalid: 0  
Minimum: 2.3  
Maximum: 41118.8  
Mean: 1905.7  
Standard deviation: 2025.9

**Multiplier sub sample (Mult\_ss)**

File: Block-6-aged-persons-records

**Overview**

Type: Continuous	Valid cases: 34831
Format: numeric	Invalid: 0
Width: 8	Minimum: 4.5
Decimals: 2	Maximum: 82237.5
Range: 4.5-82237.5	Mean: 3811.4
	Standard deviation: 4051.7

**nss (NSS)**

File: Block-6-aged-persons-records

**Overview**

Type: Continuous	Valid cases: 34831
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 6.7
	Standard deviation: 6.3

**nsc (NSC)**

File: Block-6-aged-persons-records

**Overview**

Type: Continuous	Valid cases: 34831
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 13.4
	Standard deviation: 12.5

**Posted Multiplier (Mult)**

File: Block-6-aged-persons-records

**Overview**

Type: Continuous	Valid cases: 34831
Format: numeric	Invalid: 0
Width: 7	Minimum: 450
Decimals: 0	Maximum: 8223750
Range: 450-8223750	Mean: 381142.9
	Standard deviation: 405173.4

**Key to locate person (Key\_prsn)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete

Format: character

Width: 13

Valid cases: 32665

Invalid: 0

**Key to locate hhold (Key\_hhno)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete

Format: character

Width: 9

Valid cases: 32665

Invalid: 0

**Record identifier (Rec\_id)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 32665

Invalid: 0

**Centre code, Round, Shift (CSR)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 32665

Invalid: 0

**Round (Round)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 32665

Invalid: 0

**Schedule Number (SchNo)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 32665

Invalid: 0

**Sample (Sample)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32665
Format: character	Invalid: 0
Width: 1	

**Sector (Sector)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32665
Format: character	Invalid: 0
Width: 1	

**State-Region (State\_reg)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32665
Format: character	Invalid: 0
Width: 3	

**state code (state)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32665
Format: character	Invalid: 0
Width: 2	

**District (District)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32665
Format: character	Invalid: 0
Width: 2	

**Stratum (Stratum)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32665
Format: character	Invalid: 0
Width: 2	

**Sub-Round (Sub\_Round)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 32665  
 Invalid: 0

**Sub-Sample (Sub\_Sample)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 32665  
 Invalid: 0

**FOD Sub-Region (FOD\_SR)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 4

Valid cases: 32665  
 Invalid: 0

**LOT/FSU Serial No. (FSU)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 5

Valid cases: 32665  
 Invalid: 0

**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 32665  
 Invalid: 0

**Second Stage Stratum (SS\_stratum)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 32665  
 Invalid: 0



**Sample HHS No. (HS\_No)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32665
Format: character	Invalid: 0
Width: 2	

**Srl. No. of hospitalisation case (B7\_q1)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32665
Format: character	Invalid: 0
Width: 2	

**Srl. No. of member (B7\_q2)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32665
Format: character	Invalid: 0
Width: 2	

**Interviewer instructions**

In this block particulars of hospitalisation during 365 days preceding the date of survey will be recorded. In the detailed instructions for blocks 7, 8, 9 and 10 the term 'member', unless otherwise mentioned will also include deceased members also.

The serial number recorded in col.1 of block 4 for the hospitalised member will be entered here. For the deceased members, the serial number printed in col.1 of block 5, viz. 91, 92, 93, etc., will be recorded here.

If a member be hospitalised more than once during the reference period, the serial number of the member will be repeated in this line in each of the columns used for hospitalisation cases of the member. All cases of hospitalisation of a particular deceased member should be recorded in adjacent columns. After exhausting all the hospitalisation cases of the living members, the hospitalisation cases of the deceased members will be enumerated.

**Age (B7\_q3)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Continuous	Valid cases: 32541
Format: numeric	Invalid: 124
Width: 3	Minimum: 0
Decimals: 0	Maximum: 105
Range: 0-105	Mean: 37
	Standard deviation: 21.7

**Type of hospital (B7\_q4)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32613
Format: character	Invalid: 0
Width: 1	

**Type of hospital (B7\_q4)**

File: Block-7-members-medical-treatment-particulkars-records

**Interviewer instructions**

The type code appropriate to the hospital where the ailing member was admitted as an inpatient will be recorded here

**Nature of ailment (B7\_q5)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
Format: character  
Width: 2

Valid cases: 32591  
Invalid: 0

**Interviewer instructions**

The nature of ailment for which the member was hospitalised will be recorded in codes against this item. A hospitalised member may be found to be suffering from more than one type of ailment. In such cases, the code corresponding to the major ailment will be recorded.

**Type of Ward (B7\_q6)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
Format: character  
Width: 1

Valid cases: 32634  
Invalid: 0

**Interviewer instructions**

There are usually different classes or types of wards in a hospital. The type of the ward where the patient was admitted (for the particular hospitalisation case) will be recorded here in codes.

A paying ward with a number of beds will be treated as a paying general ward. A cabin (generally with one or two beds) will be treated as a paying special ward. When a patient is reported to have stayed in more one than type of ward, the code for the type where the patient had stayed for the longest duration will be recorded here.

**When admitted (B7\_q7)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
Format: character  
Width: 1

Valid cases: 32644  
Invalid: 0

**Interviewer instructions**

The time with respect to the date of survey when the patient was admitted to the hospital will be recorded here in codes.

**When discharged (B7\_q8)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
Format: character  
Width: 1

Valid cases: 32635  
Invalid: 0

**Interviewer instructions**

The time with respect to the date of survey when the patient was discharged from the hospital will be recorded here in codes.

**Duration of stay in hospital (B7\_q9)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Continuous	Valid cases: 32614
Format: numeric	Invalid: 51
Width: 3	Minimum: 0
Decimals: 0	Maximum: 365
Range: 0-365	Mean: 9.8
	Standard deviation: 16.4

**Interviewer instructions**

The duration of stay of the patient in the hospital within the reference period will be recorded here in number of days. Thus, the duration of stay will be ascertained as the number of days:

**Loss of Household Income (B7\_q10)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Continuous	Valid cases: 24517
Format: numeric	Invalid: 8148
Width: 6	Minimum: 0
Decimals: 0	Maximum: 300000
Range: 0-300000	Mean: 1047.6
	Standard deviation: 3920.2

**Literal question**

loss of household income, if any due to hospitalisation:

**Interviewer instructions**

Often ailment of a working member of the household causes loss of household income. Ailment of a non-working member too causes disruption of usual activity of the working member of the household, which in turn results in loss of household income. If it is reported that there was a loss of household income owing to the hospitalisation case, the amount of loss incurred during the reference period will be recorded against this item in whole number of rupees.

**Surgery (B7\_q11)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32106
Format: character	Invalid: 0
Width: 1	

**Literal question**

details of medical services received: Surgery

**Interviewer instructions**

Details of medical services received: The entries against these items will be made in codes. Surgery: Treatment requiring an operation to cut into or to remove or to manipulate tissue or organs or parts of the body is considered as surgery. All surgical operations done within the reference period will be considered for this item.

**medicine (B7\_q12)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete	Valid cases: 32560
Format: character	Invalid: 0
Width: 1	

**Literal question**

**medicine (B7\_q12)**

File: Block-7-members-medical-treatment-particulkars-records

details of medical services received: Medicine

**Interviewer instructions**

details of medical services received: The entries against these items will be made in codes.

Medicine: Drugs or preparations used for treating an ailment are considered as medicine. For the survey, medicine will include such liquids, syrups, pills, tablets, capsules, injections, ointment, drips etc.

**X-ray,ECG,Scan (B7\_q13)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 32223

Invalid: 0

**Literal question**

details of medical services received: X-ray/ECG/EEG/Scan:

**Interviewer instructions**

details of medical services received: The entries against these items will be made in codes.

X-ray/ECG/EEG/Scan: ECG stands for electro-cardiogram, EEG for electro-encephalogram and scan includes CAT scan, all computer aided X-ray, scanning of body or brain and ultrasonography.

**Other diagnostic tests (B7\_q14)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 32329

Invalid: 0

**Literal question**

details of medical services received: Other diagnostic tests:

**Interviewer instructions**

details of medical services received: The entries against these items will be made in codes.

Other diagnostic tests: Other diagnostic tests include all pathological tests, such as testing urine, stool, blood, sputum, tears, biopsy, all tests of eyes, audiogram for testing loss of hearing etc.

**Treatment availed before (B7\_q15)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 32598

Invalid: 0

**Interviewer instructions**

If any medical treatment is undergone immediately before getting admitted to the hospital for the same case of illness which caused hospitalisation, code 1 will be entered against item 15. Otherwise, the entry will be 2.

**Source of treatment (B7\_q16)**

File: Block-7-members-medical-treatment-particulkars-records

**Source of treatment (B7\_q16)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 17741  
 Invalid: 0

**Interviewer instructions**

Items 16 will be filled in only if the entry in item 15 is 1. The source of treatment undergone before hospitalisation will be recorded here in codes.

**Duration of treatment (B7\_q17)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-999

Valid cases: 17580  
 Invalid: 15085  
 Minimum: 0  
 Maximum: 999  
 Mean: 82.7  
 Standard deviation: 203.2

**Interviewer instructions**

Items 17 will be filled in only if the entry in item 15 is 1.

The duration of treatment undergone before hospitalisation will be recorded in number of days. The total number of days for which the patient was under the treatment before hospitalisation, even if a part of the period falls outside the reference period, will be recorded here.

**Treatment continued? (B7\_q18)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 32400  
 Invalid: 0

**Interviewer instructions**

Items 18, 19 and 20: If after getting discharged from the hospital the patient continues medical treatment, code 1 will be recorded against item 18. Otherwise, the entry in item 18 will be 2. When the patient is not yet discharged from the hospital, a 'X' mark will be put against this item. For item 19 and 20, the procedure of making entry is similar to that for items 16 and 17.

**Source of treatment - after (B7\_q19)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 23925  
 Invalid: 0

**Duration of treatment - after (B7\_q20)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

**Duration of treatment - after (B7\_q20)**

File: Block-7-members-medical-treatment-particulkars-records

Type: Continuous	Valid cases: 23808
Format: numeric	Invalid: 8857
Width: 3	Minimum: 0
Decimals: 0	Maximum: 364
Range: 0-364	Mean: 45.3
	Standard deviation: 65.5

**Multiplier combined (Mult\_combined)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Continuous	Valid cases: 32665
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.8
Decimals: 2	Maximum: 32387.7
Range: 2.81-32387.745	Mean: 831.9
	Standard deviation: 1105.8

**Multiplier sub-sample (Mult\_ss)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Continuous	Valid cases: 32665
Format: numeric	Invalid: 0
Width: 8	Minimum: 5.6
Decimals: 2	Maximum: 64775.5
Range: 5.62-64775.49	Mean: 1663.8
	Standard deviation: 2211.6

**nss (NSS)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Continuous	Valid cases: 32665
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 6.7
	Standard deviation: 6

**nsc (NSC)**

File: Block-7-members-medical-treatment-particulkars-records

**Overview**

Type: Continuous	Valid cases: 32665
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 13.4
	Standard deviation: 12.1

## Posted Multiplier (Mult)

File: Block-7-members-medical-treatment-particulkars-records

### Overview

Type: Continuous  
Format: numeric  
Width: 7  
Decimals: 0  
Range: 562-6477549

Valid cases: 32665  
Invalid: 0  
Minimum: 562  
Maximum: 6477549  
Mean: 166380.8  
Standard deviation: 221160.1

**Key to locate person (Key\_prsn)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 13

Valid cases: 32665

Invalid: 0

**Key to locate hhno (Key\_hhno)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 9

Valid cases: 32665

Invalid: 0

**Record identifier (Rec\_id)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 32665

Invalid: 0

**Centre code,Round,Shift (CSR)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 32665

Invalid: 0

**Round (Round)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 32665

Invalid: 0

**Schedule Number (SchNo)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 32665

Invalid: 0



**Sample (Sample)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 32665  
Invalid: 0**Sector (Sector)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 32665  
Invalid: 0**State-Region (State\_reg)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 3Valid cases: 32665  
Invalid: 0**state code (state)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 32665  
Invalid: 0**District (District)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 32665  
Invalid: 0**Stratum (Stratum)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 32665  
Invalid: 0

**Sub-Round (Sub\_Round)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 32665  
Invalid: 0**Sub-Sample (Sub\_Sample)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 32665  
Invalid: 0**FOD Sub-Region (FOD\_SR)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 4Valid cases: 32665  
Invalid: 0**LOT/FSU Serial No. (FSU)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 5Valid cases: 32665  
Invalid: 0**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 32665  
Invalid: 0**Second Stage Stratum (SS\_stratum)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 32665  
Invalid: 0

**Sample HHS No. (HS\_No)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 32665  
 Invalid: 0

**Srl. No. of hospitalisation case (B8\_q1)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 32665  
 Invalid: 0

**Interviewer instructions**

expenses incurred for treatment of members treated as inpatient of hospital during the last 365 days and source of finance: This block is meant for collection of information on expenses incurred for treatment as inpatient, separately for each of the hospitalisation cases recorded in block 7.

**Srl. No. of member (B8\_q2)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 32665  
 Invalid: 0

**Interviewer instructions**

In this block particulars of hospitalisation during 365 days preceding the date of survey will be recorded. In the detailed instructions for blocks 7, 8, 9 and 10 the term 'member', unless otherwise mentioned will also include deceased members also.

The serial number and age of the member hospitalised assigned in items 2 and 3 of block 7 will be repeated here. In most of the cases where a member does not report more than 1 case of hospitalisation, entries against items 1, 2 & 3 will be the same in blocks 7 and 8.

**Age (B8\_q3)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-105

Valid cases: 32550  
 Invalid: 115  
 Minimum: 0  
 Maximum: 105  
 Mean: 37  
 Standard deviation: 21.7

**Medical service provided free by? (B8\_q4)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

**Medical service provided free by? (B8\_q4)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

Type: Discrete

Valid cases: 32403

Format: character

Invalid: 0

Width: 1

**Literal question**

whether any medical service provided free by employer:

**Interviewer instructions**

Often employers have their own arrangements for medical treatment of their employees and their dependents. If any part of the expenditure on medical treatment during the hospitalisation period is borne by the employer (of the patient or the one on whom the patient is dependant) code 1 or 2, depending upon the employer is a Govt. agency or a private agency, will be entered against this item. If such a provision is not there for the ailing member or his/her dependants even if employed, entry 3 will be recorded. In all other cases, entry will be 4, that is, this item is not applicable.

**Fee-Hospital staff(Rs) (B8\_q5)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous

Valid cases: 10291

Format: numeric

Invalid: 22374

Width: 6

Minimum: 0

Decimals: 0

Maximum: 293000

Range: 0-293000

Mean: 1430.5

Standard deviation: 5810.2

**Interviewer instructions**

Q.5 to 13: The total expenditure for medical treatment during the stay in the hospital within the reference period will be accounted for against these items. It will, however, not include the expenses for the treatment in the hospital for the period that is not within the reference period.

Items 5 & 6: doctors / surgeons fee: While the amount payable for the fees of doctors/surgeons who are a part of the hospital staff will be recorded against item 5, the expenses made for consultation to the doctors/surgeons (specialists), who are not among the hospital staff, by the household during the stay at hospital will be recorded against item 6.

**Fee- Other specialists(Rs) (B8\_q6)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous

Valid cases: 4736

Format: numeric

Invalid: 27929

Width: 6

Minimum: 0

Decimals: 0

Maximum: 140000

Range: 0-140000

Mean: 1357.1

Standard deviation: 4105.1

**Medicines-from hospital(Rs) (B8\_q7)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous

Valid cases: 7911

Format: numeric

Invalid: 24754

Width: 6

Minimum: 0

Decimals: 0

Maximum: 200000

Range: 0-200000

Mean: 1116.5

Standard deviation: 4447.6

**Interviewer instructions**

**Medicines-from hospital(Rs) (B8\_q7)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

Items 7 & 8: medicines: The expenses for medicines (including drips) made available from the hospital will be recorded against item 7 (by hospital) and the amount payable for medicines (including drips) purchased by the household from 'outside' but during the stay at hospital will be recorded against item 8.

**Medicines-from outside(Rs) (B8\_q8)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 17308
Format: numeric	Invalid: 15357
Width: 6	Minimum: 0
Decimals: 0	Maximum: 269500
Range: 0-269500	Mean: 2246.7
	Standard deviation: 5305.7

**Diagnostic tests(Rs) (B8\_q9)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 12999
Format: numeric	Invalid: 19666
Width: 5	Minimum: 0
Decimals: 0	Maximum: 75000
Range: 0-75000	Mean: 826.8
	Standard deviation: 2116

**Interviewer instructions**

The charges for diagnostic tests done at the hospital as well as those done from outside during the stay at hospital will be recorded against this item.

**Bed charges(Rs) (B8\_q10)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 11561
Format: numeric	Invalid: 21104
Width: 6	Minimum: 0
Decimals: 0	Maximum: 150000
Range: 0-150000	Mean: 956.1
	Standard deviation: 2777.3

**Interviewer instructions**

Amount payable for bed charges in the hospital will be recorded here. If the charges for food are included with the bed charges, the combined charges will be recorded.

**Attendant charges(Rs) (B8\_q11)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

**Attendant charges(Rs) (B8\_q11)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

Type: Continuous	Valid cases: 4021
Format: numeric	Invalid: 28644
Width: 5	Minimum: 0
Decimals: 0	Maximum: 40000
Range: 0-40000	Mean: 305
	Standard deviation: 1075.4

**Interviewer instructions**

Here the charges for the services of the attendant, if kept for the patient, will be written. If any household member attends to the patient, no imputation for his/her services, is to be made.

**Physiotherapy(Rs) (B8\_q12)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 1003
Format: numeric	Invalid: 31662
Width: 5	Minimum: 0
Decimals: 0	Maximum: 24000
Range: 0-24000	Mean: 483.2
	Standard deviation: 1469.6

**Interviewer instructions**

If the patient has undergone any physiotherapy during the stay at hospital, the amount payable for that will be recorded here

**Personal medical appliances(Rs) (B8\_q13)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 2094
Format: numeric	Invalid: 30571
Width: 5	Minimum: 0
Decimals: 0	Maximum: 90000
Range: 0-90000	Mean: 771
	Standard deviation: 4095.9

**Interviewer instructions**

The amount payable for acquisition of personal medical appliances of durable nature like spectacles / contact lens, intro-ocular lens, hearing aid, trusses, crutches, artificial limb, pacemaker etc. for the purpose of treatment of the patient at the hospital will be recorded here. Note that appliances like thermometer, infra-red lamp, blood-pressure measuring equipment, blood-sugar measuring kit, bed-pan / urinal etc. will not be treated as personal medical appliances. If such items have been purchased for the purpose of treatment and during the stay at hospital, those will be recorded against item 15 (blood, oxygen cylinder, etc.).

**Multiplier combined (wgt\_combined)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 32665
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.8
Decimals: 2	Maximum: 32387.7
Range: 2.81-32387.745	Mean: 831.9
	Standard deviation: 1105.8

**Multiplier combined (wgt\_ss)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 32665
Format: numeric	Invalid: 0
Width: 8	Minimum: 5.6
Decimals: 2	Maximum: 64775.5
Range: 5.62-64775.49	Mean: 1663.8
	Standard deviation: 2211.6

**nss (NSS)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 32665
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 6.7
	Standard deviation: 6

**nsc (NSC)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 32665
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 13.4
	Standard deviation: 12.1

**Posted Multiplier (Mult)**

File: Block-8-part-1-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 32665
Format: numeric	Invalid: 0
Width: 7	Minimum: 562
Decimals: 0	Maximum: 6477549
Range: 562-6477549	Mean: 166380.8
	Standard deviation: 221160.1

**Key to locate Hospitalisation no. (Key\_hosptl)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 11

Valid cases: 32394

Invalid: 0

**Key to locate Hhold (Key\_HHno)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 9

Valid cases: 32394

Invalid: 0

**Record identifier (Rec\_id)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 32394

Invalid: 0

**Centre code, Round, Shift (CSR)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 32394

Invalid: 0

**Round (Round)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 32394

Invalid: 0

**Schedule Number (SchNo)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 32394

Invalid: 0



**Sample (Sample)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete	Valid cases: 32394
Format: character	Invalid: 0
Width: 1	

**Sector (Sector)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete	Valid cases: 32394
Format: character	Invalid: 0
Width: 1	

**State-Region (State\_reg)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete	Valid cases: 32394
Format: character	Invalid: 0
Width: 3	

**state code (state)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete	Valid cases: 32394
Format: character	Invalid: 0
Width: 2	

**District (District)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete	Valid cases: 32394
Format: character	Invalid: 0
Width: 2	

**Stratum (Stratum)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete	Valid cases: 32394
Format: character	Invalid: 0
Width: 2	

**Sub-Round (Sub\_Round)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 32394  
 Invalid: 0

**Sub-Sample (Sub\_Sample)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 32394  
 Invalid: 0

**FOD Sub-Region (FOD\_SR)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 4

Valid cases: 32394  
 Invalid: 0

**LOT/FSU Serial No. (FSU)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 5

Valid cases: 32394  
 Invalid: 0

**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 32394  
 Invalid: 0

**Second Stage Stratum (SS\_stratum)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 32394  
 Invalid: 0

**Sample HHS No. (HS\_No)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete	Valid cases: 32394
Format: character	Invalid: 0
Width: 2	

**Srl. No. of hospitalisation case (B8\_q1)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Discrete	Valid cases: 32394
Format: character	Invalid: 0
Width: 2	

**Food etc.(Rs) (B8\_q14)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 12266
Format: numeric	Invalid: 20128
Width: 5	Minimum: 0
Decimals: 0	Maximum: 30000
Range: 0-30000	Mean: 488.1
	Standard deviation: 994.4

**Literal question**

others: food and other material:

**Interviewer instructions**

Expenses incurred on food and other refreshment materials supplied by the hospital or purchased from outside for the patient will be recorded here. The expenditure for meals supplied from home for the patient would be excluded.

**Blood,Oxygen cylinder etc.(Rs) (B8\_q15)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 2602
Format: numeric	Invalid: 29792
Width: 6	Minimum: 0
Decimals: 0	Maximum: 160000
Range: 0-160000	Mean: 918.2
	Standard deviation: 3749.7

**Literal question**

others: blood, oxygen cylinder, etc.:

**Interviewer instructions**

For acquiring blood, oxygen cylinder and goods like bandage, plaster, etc. supplied by the hospital or made available from outside will be recorded here.

**Services(Rs) (B8\_q16)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

**Services(Rs) (B8\_q16)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

Type: Continuous	Valid cases: 2608
Format: numeric	Invalid: 29786
Width: 5	Minimum: 0
Decimals: 0	Maximum: 57500
Range: 0-57500	Mean: 495.2
	Standard deviation: 1673

**Literal question**

others: services (ambulance, etc.)

**Interviewer instructions**

Amount payable for getting the services of ambulance, charges for operation theatre for the patient will be recorded against this item.

**Exp. not elsewhere reported(Rs) (B8\_q17)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 25119
Format: numeric	Invalid: 7275
Width: 7	Minimum: 0
Decimals: 0	Maximum: 1085000
Range: 0-1085000	Mean: 5351.2
	Standard deviation: 18996.2

**Interviewer instructions**

Although efforts are to made to collect information about the medical expenditure incurred by the household under each of the heads given in items 5 to 16, in some cases the household may not be able to provide item wise expenditure as it might have made a lump sum payment for a number of goods and services taken together. As already mentioned, in such cases information available for the specific items may be recorded against them and that for the remaining items taken together will be recorded against item 17. All the medical expenditure that is not recorded against any of the items 5 to 16 would be recorded against this item.

**Total exp. during stay(Rs) (B8\_q18)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 31953
Format: numeric	Invalid: 441
Width: 7	Minimum: 0
Decimals: 0	Maximum: 1086500
Range: 0-1086500	Mean: 7448.8
	Standard deviation: 20141.4

**Interviewer instructions**

The total of entries in items 5 to 17 will be recorded here for each case of hospitalisation.

**Transport(Rs) (B8\_q19)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 28632
Format: numeric	Invalid: 3762
Width: 6	Minimum: 0
Decimals: 0	Maximum: 150000
Range: 0-150000	Mean: 392.5
	Standard deviation: 1355.4

**Transport(Rs) (B8\_q19)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Literal question**

other expenses incurred by the household (Rs) (not included in item 18)-transport (other than ambulance):

**Interviewer instructions**

Here the amount payable for transport charges for other household members for the purpose of hospitalisation of the ailing person will be recorded. The transport charges paid for travelling to and from the hospital by the escorts (excluding ambulance charges), transport costs incurred by the household for procuring medicines, blood, oxygen, etc. for the treatment, etc. will be included.

**Lodging charges etc.(Rs) (B8\_q20)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 6496
Format: numeric	Invalid: 25898
Width: 5	Minimum: 0
Decimals: 0	Maximum: 80000
Range: 0-80000	Mean: 444.3
	Standard deviation: 1686.6

**Literal question**

other expenses incurred by the household (Rs) (not included in item 18)- lodging charges of escort(s):

**Interviewer instructions**

If the escort(s) is (are) required to stay in a hotel or a lodge for attending the patient while he/she is hospitalised, the charges for lodging will be recorded against this item.

**Others(Rs) (B8\_q21)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 15707
Format: numeric	Invalid: 16687
Width: 6	Minimum: 0
Decimals: 0	Maximum: 130000
Range: 0-130000	Mean: 386
	Standard deviation: 1515.5

**Literal question**

other expenses incurred by the household (Rs) (not included in item 18)-others:

**Interviewer instructions**

This will include all other incidental charges payable and expenses incurred due to hospitalisation like that of telephone charges made from PCO, on items like soap, towel, toothpaste, etc. for the patient and escort(s).

**Total(Rs) (B8\_q22)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 30087
Format: numeric	Invalid: 2307
Width: 6	Minimum: 0
Decimals: 0	Maximum: 150000
Range: 0-150000	Mean: 671
	Standard deviation: 2259.2

**Literal question**

other expenses incurred by the household (Rs) (not included in item 18)-

**Total(Rs) (B8\_q22)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Interviewer instructions**

This will be total of entries made in items 19 to 21 for each case of hospitalisation.

**Multiplier combined (wgt\_combined)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 32394
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.8
Decimals: 2	Maximum: 32387.7
Range: 2.81-32387.745	Mean: 831.8
	Standard deviation: 1105

**Multiplier Sub sample (wgtss)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 32394
Format: numeric	Invalid: 0
Width: 8	Minimum: 5.6
Decimals: 2	Maximum: 64775.5
Range: 5.62-64775.49	Mean: 1663.5
	Standard deviation: 2210

**nss (NSS)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 32394
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 6.7
	Standard deviation: 6

**nsc (NSC)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

**Overview**

Type: Continuous	Valid cases: 32394
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 13.4
	Standard deviation: 12.1

**Posted Multiplier (Mult)**

File: Block-8-part-2-treatment-expenses-365-days-members-records

## Posted Multiplier (Mult)

File: Block-8-part-2-treatment-expenses-365-days-members-records

### Overview

Type: Continuous  
Format: numeric  
Width: 7  
Decimals: 0  
Range: 562-6477549

Valid cases: 32394  
Invalid: 0  
Minimum: 562  
Maximum: 6477549  
Mean: 166350.6  
Standard deviation: 220999.1

**Key to locate Hospitalisation no. (key\_hosptl)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 11

Valid cases: 5186

Invalid: 0

**Key to locate Hhold (key\_hhno)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 9

Valid cases: 5186

Invalid: 0

**Record identifier (Rec\_id)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 5186

Invalid: 0

**Centre code, Round, Shift (CSR)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 5186

Invalid: 0

**Round (Round)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 5186

Invalid: 0

**Schedule Number (SchNo)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records



**Schedule Number (SchNo)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 5186

Invalid: 0

**Sample (Sample)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 5186

Invalid: 0

**Sector (Sector)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 5186

Invalid: 0

**State-Region (State\_reg)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 5186

Invalid: 0

**state code (state)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 5186

Invalid: 0

**District (District)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**District (District)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 5186  
 Invalid: 0

**Stratum (Stratum)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 5186  
 Invalid: 0

**Sub-Round (Sub\_Round)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 5186  
 Invalid: 0

**Sub-Sample (Sub\_Sample)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 5186  
 Invalid: 0

**FOD Sub-Region (FOD\_SR)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 4

Valid cases: 5186  
 Invalid: 0

**LOT/FSU Serial No. (FSU)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**LOT/FSU Serial No. (FSU)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 5

Valid cases: 5186

Invalid: 0

**Hamlet Group/Sub-Block no. (Sub\_block)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 5186

Invalid: 0

**Second Stage Stratum (SS\_stratum)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 5186

Invalid: 0

**Sample HHS No. (HS\_No)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 5186

Invalid: 0

**Srl. No. of hospitalisation case (B8\_q1)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 5186

Invalid: 0

**Amount of reimbursement(Rs) (B8\_q29)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Amount of reimbursement(Rs) (B8\_q29)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Continuous	Valid cases: 5058
Format: numeric	Invalid: 128
Width: 6	Minimum: 0
Decimals: 0	Maximum: 350000
Range: 0-350000	Mean: 2767.1
	Standard deviation: 14672.5

**Interviewer instructions**

The amount reimbursed or expected to be reimbursed by the employer or such insurance companies or other agencies will be recorded against item 29. Under medical reimbursement scheme of the employer, the employee may be required to meet the medical expenditure initially which would be reimbursed subsequently by the employer. Similarly, the medical insurance companies and other such agencies reimburse expenses made on medical treatment.

**reimbursed by Government(Rs) (B8\_q30)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Continuous	Valid cases: 1453
Format: numeric	Invalid: 3733
Width: 6	Minimum: 0
Decimals: 0	Maximum: 350000
Range: 0-350000	Mean: 5779
	Standard deviation: 21237.9

**Interviewer instructions**

Items 30 to 33: If any amount of money reimbursed or reimbursable for treatment, such amount by individual sources of reimbursement will be recorded against items 30 to 33. The amount reimbursable from the employer will be recorded against items 30 and 31 depending upon whether the employer is the Government or a Private company. It may be noted that there will not be any entry against items 30 and 31 if the entry against item 4 of this block is 4, i.e. there is no employer. Reimbursement receivable from medical insurance companies will be recorded against item 32 and the amount of reimbursements receivable from other agencies or any other scheme will be recorded against item 33.

**reimbursed by Private(Rs) (B8\_q31)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Continuous	Valid cases: 955
Format: numeric	Invalid: 4231
Width: 6	Minimum: 0
Decimals: 0	Maximum: 200000
Range: 0-200000	Mean: 2682
	Standard deviation: 13730.7

**reimbursed by Medical Insurance companies(Rs) (B8\_q32)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

**reimbursed by Medical Insurance companies(Rs) (B8\_q32)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

Type: Continuous	Valid cases: 952
Format: numeric	Invalid: 4234
Width: 6	Minimum: 0
Decimals: 0	Maximum: 223000
Range: 0-223000	Mean: 3190
	Standard deviation: 13832.2

**reimbursed by Other agencies(Rs) (B8\_q33)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Continuous	Valid cases: 888
Format: numeric	Invalid: 4298
Width: 6	Minimum: 0
Decimals: 0	Maximum: 200000
Range: 0-200000	Mean: 1447.9
	Standard deviation: 11258.3

**Multiplier combined (wgt\_combined)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Continuous	Valid cases: 5186
Format: numeric	Invalid: 0
Width: 8	Minimum: 5.5
Decimals: 2	Maximum: 27691
Range: 5.475-27690.975	Mean: 879.7
	Standard deviation: 1254.8

**Multiplier sub sample (wgt\_ss)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

Type: Continuous	Valid cases: 5186
Format: numeric	Invalid: 0
Width: 8	Minimum: 11
Decimals: 2	Maximum: 55382
Range: 10.95-55381.95	Mean: 1759.3
	Standard deviation: 2509.7

**nss (NSS)**

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

**Overview**

## nss (NSS)

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-40

Valid cases: 5186  
 Invalid: 0  
 Minimum: 1  
 Maximum: 40  
 Mean: 7.1  
 Standard deviation: 6.6

## nsc (NSC)

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

### Overview

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 3-80

Valid cases: 5186  
 Invalid: 0  
 Minimum: 3  
 Maximum: 80  
 Mean: 14.3  
 Standard deviation: 13.2

## Posted Multiplier (Mult)

File:

Block-8-part-3--re-imburement-treatment-expenses-members-records

### Overview

Type: Continuous  
 Format: numeric  
 Width: 7  
 Decimals: 0  
 Range: 1095-5538195

Valid cases: 5186  
 Invalid: 0  
 Minimum: 1095  
 Maximum: 5538195  
 Mean: 175931.1  
 Standard deviation: 250967.7

**Key to locate Hhold (Key\_hhno)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 9Valid cases: 27316  
Invalid: 0**Record identifier (Rec\_id)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 27316  
Invalid: 0**Centre code, Round, Shift (CSR)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 3Valid cases: 27316  
Invalid: 0**Round (Round)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 27316  
Invalid: 0**Schedule Number (SchNo)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

**Schedule Number (SchNo)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

Type: Discrete  
Format: character  
Width: 3Valid cases: 27316  
Invalid: 0**Sample (Sample)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 27316  
Invalid: 0**Sector (Sector)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 27316  
Invalid: 0**State-Region (State\_reg)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 3Valid cases: 27316  
Invalid: 0**state code (state)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 27316  
Invalid: 0



**District (District)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 27316  
Invalid: 0**Stratum (Stratum)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 27316  
Invalid: 0**Sub-Round (Sub\_Round)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 27316  
Invalid: 0**Sub-Sample (Sub\_Sample)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 27316  
Invalid: 0**FOD Sub-Region (FOD\_SR)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

**FOD Sub-Region (FOD\_SR)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

Type: Discrete  
Format: character  
Width: 4Valid cases: 27316  
Invalid: 0**LOT/FSU Serial No. (FSU)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 5Valid cases: 27316  
Invalid: 0**Hamlet Group/Sub-Block no. (Sub\_block)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 27316  
Invalid: 0**Second Stage Stratum (SS\_stratum)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 27316  
Invalid: 0**Sample HHS No. (HS\_No)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 27316  
Invalid: 0

**Total exp. incurred by hhld.(Rs) (B8\_q23)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

Type: Continuous	Valid cases: 27316
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 1121500
Range: 1-1121500	Mean: 9452.3
	Standard deviation: 24450.3

**Interviewer instructions**

The total expenditure of the household (including both medical and other expenditures) owing to hospitalisation of household member(s) is to be recorded against this item. Hence, for making entry against this item a sum of items 18 and 22 over all the cases of hospitalisation (filled in columns) is to be made and the total recorded here.

**Expenses financed by- Hhld. Income/savings(Rs) (B8\_q24)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

Type: Continuous	Valid cases: 24580
Format: numeric	Invalid: 2736
Width: 8	Minimum: 0
Decimals: 0	Maximum: 1081500
Range: 0-1081500	Mean: 5400.8
	Standard deviation: 16396.9

**Interviewer instructions**

Items 24 to 28: sources of finance for meeting the expenses in item 23: These items are meant for recording the particulars of how the total expenditure incurred by the household on account of hospitalisation of its members (including those deceased) during the last 365 days was met. The financing of the total expenditure of the household recorded against item 23 is to be recorded. The major sources of finance are listed against items 24 to 27. The part of the expenditure that was not met by any of the sources listed in items 24 to 26 will be recorded against item 27, i.e. 'other sources'. These items are self-explanatory. The total of all these sources of finance will be given in item 28 which would match with the entry in item 23.

**Expenses financed by-Borrowings(Rs) (B8\_q25)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

Type: Continuous	Valid cases: 11858
Format: numeric	Invalid: 15458
Width: 8	Minimum: 0
Decimals: 0	Maximum: 351350
Range: 0-351350	Mean: 6737.4
	Standard deviation: 14255.6

**Expenses financed by-Contributions(Rs) (B8\_q26)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

Type: Continuous	Valid cases: 6697
Format: numeric	Invalid: 20619
Width: 8	Minimum: 0
Decimals: 0	Maximum: 400000
Range: 0-400000	Mean: 4551.1
	Standard deviation: 14624.1

**Expenses financed by- other sources(Rs) (B8\_q27)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

Type: Continuous	Valid cases: 3551
Format: numeric	Invalid: 23765
Width: 8	Minimum: 0
Decimals: 0	Maximum: 470000
Range: 0-470000	Mean: 4245.9
	Standard deviation: 17682.1

**Expenses financed - Total(Rs) (B8\_q28)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

Type: Continuous	Valid cases: 27316
Format: numeric	Invalid: 0
Width: 8	Minimum: 1
Decimals: 0	Maximum: 1121500
Range: 1-1121500	Mean: 9452.3
	Standard deviation: 24450.3

**Multiplier combined (wgt\_combined)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

Type: Continuous	Valid cases: 27316
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.8
Decimals: 2	Maximum: 32387.7
Range: 2.81-32387.745	Mean: 784.7
	Standard deviation: 1065.4

**multiplier sub sample (wgt\_ss)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

Type: Continuous	Valid cases: 27316
Format: numeric	Invalid: 0
Width: 8	Minimum: 5.6
Decimals: 2	Maximum: 64775.5
Range: 5.62-64775.49	Mean: 1569.5
	Standard deviation: 2130.7

**nss (NSS)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

Type: Continuous	Valid cases: 27316
Format: numeric	Invalid: 0
Width: 3	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 6.7
	Standard deviation: 6

**nsc (NSC)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

Type: Continuous	Valid cases: 27316
Format: numeric	Invalid: 0
Width: 3	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 13.4
	Standard deviation: 12.1

**Posted Multiplier (Mult)**

File:

Block-8-part-4--total-treatment-expenses-source-of-finance-household-ecords

**Overview**

Type: Continuous	Valid cases: 27316
Format: numeric	Invalid: 0
Width: 10	Minimum: 562
Decimals: 0	Maximum: 6477549
Range: 562-6477549	Mean: 156947.8
	Standard deviation: 213070.7



**Key to locate person (Key\_prsn)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 12

Valid cases: 38803

Invalid: 0

**Key to locate Hhold (Key\_hhno)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 9

Valid cases: 38803

Invalid: 0

**Record identifier (Rec\_id)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 38803

Invalid: 0

**Centre code,Round,Shift (CSR)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 38803

Invalid: 0

**Round (Round)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 38803

Invalid: 0

**Schedule Number (SchNo)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 38803

Invalid: 0

**Sample (Sample)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 38803

Invalid: 0

**Sector (Sector)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 38803

Invalid: 0

**State-Region (State\_reg)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 38803

Invalid: 0

**state code (state)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 38803

Invalid: 0

**District (District)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 38803

Invalid: 0

**Stratum (Stratum)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 38803

Invalid: 0



**Sub-Round (Sub\_Round)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 38803

Invalid: 0

**Sub-Sample (Sub\_Sample)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 38803

Invalid: 0

**FOD Sub-Region (FOD\_SR)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 4

Valid cases: 38803

Invalid: 0

**LOT/FSU Serial No. (FSU)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 5

Valid cases: 38803

Invalid: 0

**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 38803

Invalid: 0

**Second Stage Stratum (SS\_stratum)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 38803

Invalid: 0

**Sample HHS No. (HS\_No)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete	Valid cases: 38803
Format: character	Invalid: 0
Width: 2	

**Srl. No. of spell of ailment (B9\_q1)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete	Valid cases: 38803
Format: character	Invalid: 0
Width: 1	

**Interviewer instructions**

A running serial number is printed against this item for all spells of ailment. Information for an ailing member will be recorded under one column and separate columns will be used for recording separate spells of ailments for a member or for spells of ailments for different members. There is a provision for recording information on only five cases in this block. If the number of cases exceeds five, additional page(s) of block 9 will be used and continuous serial numbers will be given in the extra page against this item to record the additional cases.

**Srl. No. of member (B9\_q2)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete	Valid cases: 38803
Format: character	Invalid: 0
Width: 2	

**Age (B9\_q3)**

File: Block-9- ailments-members- records

**Overview**

Type: Continuous	Valid cases: 38603
Format: numeric	Invalid: 200
Width: 3	Minimum: 0
Decimals: 0	Maximum: 633
Range: 0-633	Mean: 41
	Standard deviation: 25.5

**Days ill (B9\_q4)**

File: Block-9- ailments-members- records

**Overview**

Type: Continuous	Valid cases: 37862
Format: numeric	Invalid: 941
Width: 2	
Decimals: 0	
Range: 0-15	

**Interviewer instructions**

## Days ill (B9\_q4)

### File: Block-9- ailments-members- records

Items 4, 5 and 6: Number of days within the reference period - ill, on restricted activity, confined to bed : These three items are meant for assessing severity of the ailment suffered during the reference period. Number of days of illness, confinement to bed and restricted activity owing to a spell of ailment represent different degrees of severity of the ailment. While recording the number of days confined to bed, the number of days in a hospital within the reference period will also be counted against item 6, i.e. confined to bed.

The number of days the member suffered from the particular spell of ailment during the reference period will be recorded against item 4. Ailment involving periodic check up will be treated as a single spell. The number of days on restricted activity will be recorded against item 5 and the number of days confined to bed against item 6. Days with illness would mean the duration for which the member felt that he/she feels sick. The terms "confined to bed" and "on restricted activity" are explained in paras 1.9.48 and 1.9.49. Clearly, the day's confinement to bed will also be counted as on restricted activity. Thus, the entry in item 5 will not be smaller than the entry in item 6. Similarly, the entry in item 4 will not be less than that in item 5. An exception to this will however be made for children below school going age and very old persons. For them, a cross 'x' mark will be put against item 5. For infants of age below 6 months, a cross 'x' mark will be put against item 6 as well.

## On restricted activity(days) (B9\_q5)

### File: Block-9- ailments-members- records

#### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-15

Valid cases: 17488  
Invalid: 21315

## Confined to bed(days) (B9\_q6)

### File: Block-9- ailments-members- records

#### Overview

Type: Continuous  
Format: numeric  
Width: 2  
Decimals: 0  
Range: 0-15

Valid cases: 12057  
Invalid: 26746

## Nature of ailment (B9\_q7)

### File: Block-9- ailments-members- records

#### Overview

Type: Discrete  
Format: character  
Width: 2

Valid cases: 38091  
Invalid: 0

## Status of ailment (B9\_q8)

### File: Block-9- ailments-members- records

#### Overview

Type: Discrete  
Format: character  
Width: 1

Valid cases: 38803  
Invalid: 0

#### Interviewer instructions

**Status of ailment (B9\_q8)**

File: Block-9- ailments-members- records

The period of the spell of ailment with respect to the reference period will be recorded here in terms of codes. For the deceased members, the spell will be considered to have ended.

**Total duration of ailment(days) (B9\_q9)**

File: Block-9- ailments-members- records

**Overview**

Type: Continuous	Valid cases: 37995
Format: numeric	Invalid: 808
Width: 3	Minimum: 0
Decimals: 0	Maximum: 999
Range: 0-999	Mean: 249
	Standard deviation: 371.7

**Interviewer instructions**

The total duration of the ailment in number of days is to be recorded against this item irrespective of the reference period. Here, the duration, from the commencement of the ailment - whether the ailment started before or within the reference period - to its termination or the date of survey if the ailment is continuing, is to be recorded.

**Treatment on medical advice? (B9\_q10)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete	Valid cases: 38803
Format: character	Invalid: 0
Width: 1	

**Interviewer instructions**

whether treatment taken on medical advice: If any treatment is reported to have been taken on medical advice for the spell of ailment, whether consulting the doctor was within or outside the reference period, code 1 will be recorded against this item. If no medical treatment is ever taken for the spell of ailment, code 2 will be recorded. In such cases, items 11 & 12 will not be filled in.

**Treatment from govt. sources? (B9\_q11)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete	Valid cases: 30671
Format: character	Invalid: 0
Width: 1	

**Interviewer instructions**

Items 11 & 12: whether any treatment received from govt. sources and if no, reason: These two items will be filled in only when the entry against item 10 is 1. If for a spell of ailment, the treatment taken during the reference period is from the government sources, code 1 will be entered against item 11. Otherwise, the entry will be 2. It may happen that for a particular spell the treatment has been availed of from both govt. and private sources. In that case, 'govt. source' should get priority over 'private'. Note that the non-government source includes private hospital and private doctor. If treatment is taken from non-government source only, i.e. if 2 is recorded against item 11, the reason for availing of the treatment from a non-government source will be recorded in codes against item 12.

**Reason if 2 in item 11 (B9\_q12)**

File: Block-9- ailments-members- records

**Overview**

**Reason if 2 in item 11 (B9\_q12)**

File: Block-9- ailments-members- records

Type: Discrete

Valid cases: 21963

Format: character

Invalid: 0

Width: 1

**Literal question**

whether any treatment received from govt. sources and if no, reason

**Reason for no treatment (B9\_q13)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Valid cases: 4640

Format: character

Invalid: 0

Width: 1

**Measure for Recovery? (B9\_q14)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Valid cases: 4701

Format: character

Invalid: 0

Width: 1

**Literal question**

whether any other measure taken for recovery/relief:

**Interviewer instructions**

All non-medical treatment sought for recovery for the spell of ailment will be considered for this item. Self-drugging, treatment on advice of non-medical persons, like pharmacist, druggists, compounder, faith-healers, unqualified friends & relative etc. and activities like offering prayers or conducting rituals for recovery, will be regarded as non-medical treatment. If any non-medical treatment is taken for recovery, code 1 will be entered here. Otherwise, the entry will be 2.

**Whom consulted? (B9\_q15)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete

Valid cases: 2472

Format: character

Invalid: 0

Width: 1

**Literal question**

if 1 in item 14, whom consulted:?

**Interviewer instructions**

If 1 is recorded against item 14, the person consulted will be recorded in codes against this item.

**Expenditure incurred(Rs) (B9\_q16)**

File: Block-9- ailments-members- records

**Overview**

**Expenditure incurred(Rs) (B9\_q16)**

File: Block-9- ailments-members- records

Type: Continuous	Valid cases: 2268
Format: numeric	Invalid: 36535
Width: 5	Minimum: 0
Decimals: 0	Maximum: 18250
Range: 0-18250	Mean: 79.4
	Standard deviation: 492.7

**Literal question**

If 1 in item 14, expenditure incurred (Rs):

**Interviewer instructions**

If 1 is recorded in item 14, the expenditure incurred on account of non-medical treatment during the reference period will be recorded against this item in nearest rupees. Even if no expenditure has been incurred, '0' will be recorded.

**Loss of hhld. Income(Rs) (B9\_q17)**

File: Block-9- ailments-members- records

**Overview**

Type: Continuous	Valid cases: 19634
Format: numeric	Invalid: 19169
Width: 6	Minimum: 0
Decimals: 0	Maximum: 200000
Range: 0-200000	Mean: 278.6
	Standard deviation: 2228

**Literal question**

loss of household income, if any, due to ailment (Rs)

**Interviewer instructions**

The loss in household income will be recorded against this item for each spell of ailment. This item is similar to item 10 of block 7, except that it is to be recorded for each spell of ailment and the reference period here will be the last 15 days.

**Multiplier combined (wgt\_combined)**

File: Block-9- ailments-members- records

**Overview**

Type: Continuous	Valid cases: 38803
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.3
Decimals: 2	Maximum: 73664
Range: 2.25-73664	Mean: 2378.3
	Standard deviation: 2889.3

**Multiplier sub sample (wgt\_ss)**

File: Block-9- ailments-members- records

**Overview**

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 38803
Width: 4	
Decimals: 2	

**nss (NSS)**

File: Block-9- ailments-members- records

**nss (NSS)**

File: Block-9- ailments-members- records

**Overview**

Type: Continuous	Valid cases: 38803
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 7.1
	Standard deviation: 6.6

**nsc (NSC)**

File: Block-9- ailments-members- records

**Overview**

Type: Continuous	Valid cases: 38803
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 14.3
	Standard deviation: 13.1

**Posted Multiplier (Mult)**

File: Block-9- ailments-members- records

**Overview**

Type: Continuous	Valid cases: 38803
Format: numeric	Invalid: 0
Width: 8	Minimum: 450
Decimals: 0	Maximum: 14732800
Range: 450-14732800	Mean: 475667.8
	Standard deviation: 577852.2

**Key to locate person (Key\_prsn)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 11

Valid cases: 31042

Invalid: 0

**Key to locate Hhold (Key\_hhno)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 9

Valid cases: 31042

Invalid: 0

**Record identifier (Rec\_id)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 31042

Invalid: 0

**Centre code,Round,Shift (CSR)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 31042

Invalid: 0

**Round (Round)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 31042

Invalid: 0

**Schedule Number (SchNo)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 31042

Invalid: 0



**Sample (Sample)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 31042  
Invalid: 0**Sector (Sector)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 31042  
Invalid: 0**State-Region (State\_reg)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 3Valid cases: 31042  
Invalid: 0**state code (state)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 31042  
Invalid: 0**District (District)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 31042  
Invalid: 0**Stratum (Stratum)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 31042  
Invalid: 0

**Sub-Round (Sub\_Round)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 31042  
 Invalid: 0

**Sub-Sample (Sub\_Sample)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 31042  
 Invalid: 0

**FOD Sub-Region (FOD\_SR)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 4

Valid cases: 31042  
 Invalid: 0

**LOT/FSU Serial No. (FSU)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 5

Valid cases: 31042  
 Invalid: 0

**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 31042  
 Invalid: 0

**Second Stage Stratum (SS\_stratum)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 31042  
 Invalid: 0

**Sample HHS No. (HS\_No)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 31042  
 Invalid: 0

**Srl. No. of ailing member (B10\_q1)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 31042  
 Invalid: 0

**Age (B10\_q2)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 3  
 Decimals: 0  
 Range: 0-121

Valid cases: 30897  
 Invalid: 145  
 Minimum: 0  
 Maximum: 121  
 Mean: 39.3  
 Standard deviation: 25

**Medical service provided free (B10\_q3)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 30458  
 Invalid: 0

**Literal question**

whether any medical service provided free by employer:

**Interviewer instructions**

Often employers have their own arrangements for medical treatment of their employees and their dependents. If any part of the expenditure on medical treatment during the reference period is borne by the employer (of the patient or the one on whom the patient is dependant) code 1 or 2, depending upon the employer is a Govt. agency or a private agency, will be entered against this item. If such a provision is not there for the ailing member or his/her dependants even if he/she is employed, entry 3 will be recorded. In all other cases, entry will be 4, that is, this item is not applicable.

**Surgery (B10\_q4)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 29747  
 Invalid: 0

**Interviewer instructions**

**Surgery (B10\_q4)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

Q.4 to 7: Details of medical services received: These are same as items 11 to 14 of block 7. Refer para 5.7.11 for instructions. It is important to note that for each item, the situation is to be obtained for the major spell (decided in terms of duration), irrespective of whether all or some items are applicable for the major spell or not.

**Medicine received (B10\_q5)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 30074

Invalid: 0

**X-ray/ECG/EEG/Scan (B10\_q6)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 29725

Invalid: 0

**Other diagnostic tests (B10\_q7)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 29715

Invalid: 0

**Fee-Hospital staff(Rs) (B10\_q8)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous

Format: numeric

Width: 4

Decimals: 0

Range: 0-5000

Valid cases: 7412

Invalid: 23630

Minimum: 0

Maximum: 5000

Mean: 55

Standard deviation: 130.6

**Interviewer instructions**

Items 8 to 15: medical expenditure for treatment by the household: The coverage and the instructions for items 8 to 19 are similar to that of items 5 to 17 of block 8. The important point is to note that the reference period for this block is the last 15 days and the medical expenditure for treatment of an ailing person will relate to the goods and services purchased/availed of (not as an inpatient of a hospital) for all the treated spells taken together for that person. For items 8 and 10, the coverage is the goods and services received from hospital only. Refer to paras 5.8.4 to 5.8.16 for detailed instructions on items 8

**Fee- Other specialists(Rs) (B10\_q9)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Fee- Other specialists(Rs) (B10\_q9)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 4999
Format: numeric	Invalid: 26043
Width: 4	Minimum: 0
Decimals: 0	Maximum: 6000
Range: 0-6000	Mean: 70.1
	Standard deviation: 171.3

**Medicines-from hospital(Rs) (B10\_q10)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 4291
Format: numeric	Invalid: 26751
Width: 4	Minimum: 0
Decimals: 0	Maximum: 4000
Range: 0-4000	Mean: 94.9
	Standard deviation: 220.8

**Medicines-from outside(Rs) (B10\_q11)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 21853
Format: numeric	Invalid: 9189
Width: 5	Minimum: 0
Decimals: 0	Maximum: 22500
Range: 0-22500	Mean: 248.3
	Standard deviation: 426.3

**Diagnostic tests(Rs) (B10\_q12)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 2943
Format: numeric	Invalid: 28099
Width: 5	Minimum: 0
Decimals: 0	Maximum: 15000
Range: 0-15000	Mean: 174.5
	Standard deviation: 536.2

**Attendant charges(Rs) (B10\_q13)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 779
Format: numeric	Invalid: 30263
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3000
Range: 0-3000	Mean: 39.1
	Standard deviation: 213.9

**Physiotherapy(Rs) (B10\_q14)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 546
Format: numeric	Invalid: 30496
Width: 4	Minimum: 0
Decimals: 0	Maximum: 3000
Range: 0-3000	Mean: 56.9
	Standard deviation: 249.4

**Personal medical appliances(Rs) (B10\_q15)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 658
Format: numeric	Invalid: 30384
Width: 4	Minimum: 0
Decimals: 0	Maximum: 7500
Range: 0-7500	Mean: 41.8
	Standard deviation: 315.3

**Mu;ltiplier combined (Wgt\_combined)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 31042
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.3
Decimals: 2	Maximum: 73664
Range: 2.25-73664	Mean: 2372.8
	Standard deviation: 2926.8

**multiplier sub sample (wgt\_ss)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 31042
Format: numeric	Invalid: 0
Width: 9	Minimum: 4.5
Decimals: 2	Maximum: 147328
Range: 4.5-147328	Mean: 4745.7
	Standard deviation: 5853.5

**nss (NSS)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 31042
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 7
	Standard deviation: 6.4

**nsc (NSC)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 31042
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 14.1
	Standard deviation: 12.8

**Posted Multiplier (Mult)**

File: Block-10-part-1-treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 31042
Format: numeric	Invalid: 0
Width: 8	Minimum: 450
Decimals: 0	Maximum: 14732800
Range: 450-14732800	Mean: 474567.3
	Standard deviation: 585350.4

**Key to locate person (Key\_prsn)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 11

Valid cases: 29931

Invalid: 0

**Key to locate Hhold (Key\_hhno)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 9

Valid cases: 29931

Invalid: 0

**Record identifier (Rec\_id)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 29931

Invalid: 0

**Centre code, Round, Shift (CSR)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 29931

Invalid: 0

**LOT/FSU Serial No. (FSU)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 5

Valid cases: 29931

Invalid: 0

**Round (Round)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 29931

Invalid: 0



**Schedule Number (SchNo)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 29931
Format: character	Invalid: 0
Width: 3	

**Sample (Sample)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 29931
Format: character	Invalid: 0
Width: 1	

**Sector (Sector)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 29931
Format: character	Invalid: 0
Width: 1	

**State-Region (State\_reg)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 29931
Format: character	Invalid: 0
Width: 3	

**state code (state)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 29931
Format: character	Invalid: 0
Width: 2	

**District (District)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 29931
Format: character	Invalid: 0
Width: 2	

**Stratum (Stratum)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 29931  
 Invalid: 0

**Sub-Round (Sub\_Round)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 29931  
 Invalid: 0

**Sub-Sample (Sub\_Sample)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 29931  
 Invalid: 0

**FOD Sub-Region (FOD\_SR)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 4

Valid cases: 29931  
 Invalid: 0

**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 29931  
 Invalid: 0

**Second Stage Stratum (SS\_stratum)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 29931  
 Invalid: 0

**Sample HHS No. (HS\_No)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 29931  
 Invalid: 0

**Srl. No. of ailing member (B10\_q1)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 29931  
 Invalid: 0

**Food etc.(Rs) (B10\_16)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 0-3000

Valid cases: 2311  
 Invalid: 27620  
 Minimum: 0  
 Maximum: 3000  
 Mean: 71  
 Standard deviation: 164

**Interviewer instructions**

Items 16 to 22: medical expenditure for treatment by the household: The coverage and the instructions for items 8 to 19 are similar to that of items 5 to 17 of block 8. The important point is to note that the reference period for this block is the last 15 days and the medical expenditure for treatment of an ailing person will relate to the goods and services purchased/availed of (not as an inpatient of a hospital) for all the treated spells taken together for that person. For items 8 and 10, the coverage is the goods and services received from hospital only. Refer to paras 5.8.4 to 5.8.16 for detailed instructions on items 8

**Blood,Oxygen cylinder etc.(Rs) (B10\_17)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 0-1200

Valid cases: 607  
 Invalid: 29324  
 Minimum: 0  
 Maximum: 1200  
 Mean: 27.6  
 Standard deviation: 129.1

**Services(Rs) (B10\_18)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

**Services(Rs) (B10\_18)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

Type: Continuous	Valid cases: 939
Format: numeric	Invalid: 28992
Width: 4	Minimum: 0
Decimals: 0	Maximum: 6000
Range: 0-6000	Mean: 47.7
	Standard deviation: 293.8

**Exp. not elsewhere reported(Rs) (B10\_19)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 10843
Format: numeric	Invalid: 19088
Width: 5	Minimum: 0
Decimals: 0	Maximum: 35000
Range: 0-35000	Mean: 200.5
	Standard deviation: 731.8

**Total exp. during stay(Rs) (B10\_20)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 28716
Format: numeric	Invalid: 1215
Width: 5	Minimum: 0
Decimals: 0	Maximum: 35000
Range: 0-35000	Mean: 333.7
	Standard deviation: 716.2

**Interviewer instructions**

Items 20 to 22: total medical expenditure: The total medical expenditure incurred for ailing member (and given against items 8 to 19) will be recorded against item 20. The part of this total expenditure (given in item 20) made for the goods and services received from the various government sources, will be recorded against 21. The remaining part of the total expenditure, i.e. those made for goods and services received from non-government sources, will be recorded against item 22.

**Govt. Sources(Rs) (B10\_21)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 5897
Format: numeric	Invalid: 24034
Width: 5	Minimum: 0
Decimals: 0	Maximum: 13000
Range: 0-13000	Mean: 64.1
	Standard deviation: 278.1

**Interviewer instructions**

Items 20 to 22: total medical expenditure: The total medical expenditure incurred for ailing member (and given against items 8 to 19) will be recorded against item 20. The part of this total expenditure (given in item 20) made for the goods and services received from the various government sources, will be recorded against 21. The remaining part of the total expenditure, i.e. those made for goods and services received from non-government sources, will be recorded against item 22.

**Other Sources(Rs) (B10\_22)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 27854
Format: numeric	Invalid: 2077
Width: 5	Minimum: 0
Decimals: 0	Maximum: 35000
Range: 0-35000	Mean: 330.4
	Standard deviation: 710

**Interviewer instructions**

Items 20 to 22: total medical expenditure: The total medical expenditure incurred for ailing member (and given against items 8 to 19) will be recorded against item 20. The part of this total expenditure (given in item 20) made for the goods and services received from the various government sources, will be recorded against 21. The remaining part of the total expenditure, i.e. those made for goods and services received from non-government sources, will be recorded against item 22.

**Multiplier combined (wgt\_combined)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 29931
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.3
Decimals: 2	Maximum: 73664
Range: 2.25-73664	Mean: 2378.8
	Standard deviation: 2925.2

**Multiplier sub sample (wgt\_ss)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 29931
Format: numeric	Invalid: 0
Width: 9	Minimum: 4.5
Decimals: 2	Maximum: 147328
Range: 4.5-147328	Mean: 4757.6
	Standard deviation: 5850.3

**nss (NSS)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 29931
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 7.1
	Standard deviation: 6.5

**nsc (NSC)**

File: Block-10-part-2--treatment-expenses-15-days-members-records

**Overview**

## nsc (NSC)

File: Block-10-part-2--treatment-expenses-15-days-members-records

Type: Continuous	Valid cases: 29931
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 14.2
	Standard deviation: 12.9

## Posted Multiplier (Mult)

File: Block-10-part-2--treatment-expenses-15-days-members-records

### Overview

Type: Continuous	Valid cases: 29931
Format: numeric	Invalid: 0
Width: 8	Minimum: 450
Decimals: 0	Maximum: 14732800
Range: 450-14732800	Mean: 475760.8
	Standard deviation: 585032.9

**Key to locate person (Key\_prsn)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 11

Valid cases: 17466

Invalid: 0

**Key to locate HHno (Key\_hhno)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 9

Valid cases: 17466

Invalid: 0

**Record identifier (Rec\_id)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 17466

Invalid: 0

**Centre code,Round,Shift (CSR)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 17466

Invalid: 0

**Round (Round)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 17466

Invalid: 0

**Schedule Number (SchNo)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 17466

Invalid: 0

**Sample (Sample)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 17466
Format: character	Invalid: 0
Width: 1	

**Sector (Sector)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 17466
Format: character	Invalid: 0
Width: 1	

**State-Region (State\_reg)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 17466
Format: character	Invalid: 0
Width: 3	

**state code (state)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 17466
Format: character	Invalid: 0
Width: 2	

**District (District)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 17466
Format: character	Invalid: 0
Width: 2	

**Stratum (Stratum)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete	Valid cases: 17466
Format: character	Invalid: 0
Width: 2	



**Sub-Round (Sub\_Round)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 17466  
Invalid: 0**Sub-Sample (Sub\_Sample)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 17466  
Invalid: 0**FOD Sub-Region (FOD\_SR)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 4Valid cases: 17466  
Invalid: 0**LOT/FSU Serial No. (FSU)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 5Valid cases: 17466  
Invalid: 0**Hamlet Group/Sub-Block no. (Sub\_block)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 17466  
Invalid: 0**Second Stage Stratum (SS\_stratum)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 17466  
Invalid: 0

**Sample HHS No. (HS\_No)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 17466  
 Invalid: 0

**Srl. No. of ailing member (B10\_q1)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 17466  
 Invalid: 0

**Transport(Rs) (B10\_q23)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 5  
 Decimals: 0  
 Range: 0-15000

Valid cases: 13975  
 Invalid: 3491  
 Minimum: 0  
 Maximum: 15000  
 Mean: 55  
 Standard deviation: 180.3

**Interviewer instructions**

Items 23 to 26: other expenses incurred by the household for treatment (Rs): These items are similar to items 19 to 22 of block 8. Refer paras 5.8.17 to 5.8.21 for detailed instructions.

**Lodging charges etc.(Rs) (B10\_q24)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 4  
 Decimals: 0  
 Range: 0-1600

Valid cases: 3038  
 Invalid: 14428  
 Minimum: 0  
 Maximum: 1600  
 Mean: 14.5  
 Standard deviation: 91.3

**Others(Rs) (B10\_q25)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 5  
 Decimals: 0  
 Range: 0-20000

Valid cases: 4580  
 Invalid: 12886  
 Minimum: 0  
 Maximum: 20000  
 Mean: 37  
 Standard deviation: 328.7

**Total(Rs) (B10\_q26)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 14975
Format: numeric	Invalid: 2491
Width: 5	Minimum: 0
Decimals: 0	Maximum: 35000
Range: 0-35000	Mean: 65.6
	Standard deviation: 336.9

**Amount of reimbursement(Rs) (B10\_q33)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 3662
Format: numeric	Invalid: 13804
Width: 5	Minimum: 0
Decimals: 0	Maximum: 16000
Range: 0-16000	Mean: 40.1
	Standard deviation: 372.1

**Interviewer instructions**

details of reimbursement received: These items are similar to items of block 8. Refer paras 5.8.23 to 5.8.25 for detailed instructions.

**Government(Rs) (B10\_q34)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 817
Format: numeric	Invalid: 16649
Width: 5	Minimum: 0
Decimals: 0	Maximum: 16000
Range: 0-16000	Mean: 143.1
	Standard deviation: 658.8

**Private(Rs) (B10\_q35)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 677
Format: numeric	Invalid: 16789
Width: 4	Minimum: 0
Decimals: 0	Maximum: 5000
Range: 0-5000	Mean: 35.3
	Standard deviation: 236.5

**Medical Insurance companies(Rs) (B10\_q36)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

**Medical Insurance companies(Rs) (B10\_q36)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

Type: Continuous	Valid cases: 660
Format: numeric	Invalid: 16806
Width: 4	Minimum: 0
Decimals: 0	Maximum: 9900
Range: 0-9900	Mean: 20.5
	Standard deviation: 387.2

**Other agencies(Rs) (B10\_q37)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 693
Format: numeric	Invalid: 16773
Width: 4	Minimum: 0
Decimals: 0	Maximum: 5240
Range: 0-5240	Mean: 22.7
	Standard deviation: 216.3

**Multiplier combined (wgt\_combined)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 17466
Format: numeric	Invalid: 0
Width: 8	Minimum: 3.3
Decimals: 2	Maximum: 73664
Range: 3.25-73664	Mean: 2353.6
	Standard deviation: 2921.5

**Multiplier sub sample (wgt\_ss)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 17466
Format: numeric	Invalid: 0
Width: 9	Minimum: 6.5
Decimals: 2	Maximum: 147328
Range: 6.5-147328	Mean: 4707.3
	Standard deviation: 5842.9

**nss (NSS)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 17466
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 6.8
	Standard deviation: 5.9

**nsc (NSC)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 17466
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 13.5
	Standard deviation: 11.8

**Posted Multiplier (Mult)**

File: Block-10-part-3--treatment-expenses-15-days-members-records

**Overview**

Type: Continuous	Valid cases: 17466
Format: numeric	Invalid: 0
Width: 8	Minimum: 650
Decimals: 0	Maximum: 14732800
Range: 650-14732800	Mean: 470727.7
	Standard deviation: 584294.7

**Key to locate HHno (Key\_hhno)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**Type: Discrete  
Format: character  
Width: 9Valid cases: 21616  
Invalid: 0**Record identifier (Rec\_id)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 21616  
Invalid: 0**Centre code, Round, Shift (CSR)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**Type: Discrete  
Format: character  
Width: 3Valid cases: 21616  
Invalid: 0**Round (Round)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 21616  
Invalid: 0**Schedule Number (SchNo)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

**Schedule Number (SchNo)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-reco  
rdsType: Discrete  
Format: character  
Width: 3Valid cases: 21616  
Invalid: 0**Sample (Sample)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-reco  
rds**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 21616  
Invalid: 0**Sector (Sector)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-reco  
rds**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 21616  
Invalid: 0**State-Region (State\_reg)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-reco  
rds**Overview**Type: Discrete  
Format: character  
Width: 3Valid cases: 21616  
Invalid: 0**state code (state)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-reco  
rds**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 21616  
Invalid: 0

**District (District)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 21616  
 Invalid: 0

**Stratum (Stratum)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 2

Valid cases: 21616  
 Invalid: 0

**Sub-Round (Sub\_Round)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 21616  
 Invalid: 0

**Sub-Sample (Sub\_Sample)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 21616  
 Invalid: 0

**FOD Sub-Region (FOD\_SR)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**



**FOD Sub-Region (FOD\_SR)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-reco  
rdsType: Discrete  
Format: character  
Width: 4Valid cases: 21616  
Invalid: 0**LOT/FSU Serial No. (FSU)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-reco  
rds**Overview**Type: Discrete  
Format: character  
Width: 5Valid cases: 21616  
Invalid: 0**Hamlet Group/Sub-Block no. (Sub\_block)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-reco  
rds**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 21616  
Invalid: 0**Second Stage Stratum (SS\_stratum)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-reco  
rds**Overview**Type: Discrete  
Format: character  
Width: 1Valid cases: 21616  
Invalid: 0**Sample HHS No. (HS\_No)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-reco  
rds**Overview**Type: Discrete  
Format: character  
Width: 2Valid cases: 21616  
Invalid: 0

**Total exp. incurred by hhld.(Rs) (B10\_q27)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Continuous	Valid cases: 21616
Format: numeric	Invalid: 0
Width: 5	Minimum: 1
Decimals: 0	Maximum: 36600
Range: 1-36600	Mean: 488.7
	Standard deviation: 961.1

**Interviewer instructions**

The total expenditure of the household (including both medical and other expenditures) owing to the ailments of member(s) of the household is to be recorded against this item. Hence, for making entry against this item a sum of items 22 and 26 over all the ailing household members (filled in different columns of this block) is to be made and the total recorded here.

**source of finance : Hhld. Income/savings(Rs) (B10\_q28)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Continuous	Valid cases: 20488
Format: numeric	Invalid: 1128
Width: 5	Minimum: 0
Decimals: 0	Maximum: 36600
Range: 0-36600	Mean: 422.4
	Standard deviation: 791.7

**Interviewer instructions**

source of finance for meeting the expenses in items 28 to 32 These items are similar to items 24 to 32 respectively, of block 8. Refer paras 5.8.23 to 5.8.25 for detailed instructions.

**source of finance-: Borrowings(Rs) (B10\_q29)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Continuous	Valid cases: 3214
Format: numeric	Invalid: 18402
Width: 5	Minimum: 0
Decimals: 0	Maximum: 24000
Range: 0-24000	Mean: 417.1
	Standard deviation: 1093.9

**source of finance: Contributions(Rs) (B10\_q30)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**source of finance: Contributions(Rs) (B10\_q30)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Continuous	Valid cases: 2324
Format: numeric	Invalid: 19292
Width: 5	Minimum: 0
Decimals: 0	Maximum: 10000
Range: 0-10000	Mean: 178.2
	Standard deviation: 604.1

**Other source of finance(Rs) (B10\_q31)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Continuous	Valid cases: 1911
Format: numeric	Invalid: 19705
Width: 5	Minimum: 0
Decimals: 0	Maximum: 15350
Range: 0-15350	Mean: 81.8
	Standard deviation: 494.6

**source of finance - Total(Rs) (B10\_q32)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Continuous	Valid cases: 21616
Format: numeric	Invalid: 0
Width: 5	Minimum: 1
Decimals: 0	Maximum: 36600
Range: 1-36600	Mean: 488.7
	Standard deviation: 961.1

**Multiplier combined (wgt\_combined)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Continuous	Valid cases: 21616
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.3
Decimals: 2	Maximum: 73664
Range: 2.25-73664	Mean: 2391.1
	Standard deviation: 2973.9

**Multiplier sub sample (wgt\_ss)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Continuous	Valid cases: 21616
Format: numeric	Invalid: 0
Width: 9	Minimum: 4.5
Decimals: 2	Maximum: 147328
Range: 4.5-147328	Mean: 4782.3
	Standard deviation: 5947.8

**nss (NSS)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Continuous	Valid cases: 21616
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 7
	Standard deviation: 6.3

**nsc (NSC)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Continuous	Valid cases: 21616
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 13.9
	Standard deviation: 12.7

**Posted Multiplier (Mult)**

File:

Block-10-part-4--treatment-total-expenses-source-finance-household-records

**Overview**

Type: Continuous	Valid cases: 21616
Format: numeric	Invalid: 0
Width: 8	Minimum: 450
Decimals: 0	Maximum: 14732800
Range: 450-14732800	Mean: 478228.5
	Standard deviation: 594780.3



**Key to locate person (Key\_prsn)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 11

Valid cases: 115108

Invalid: 0

**Key to locate HHno (Key\_hhno)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 9

Valid cases: 115108

Invalid: 0

**Record identifier (Rec\_id)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 115108

Invalid: 0

**Centre code, Round, Shift (CSR)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 115108

Invalid: 0

**Round (Round)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 115108

Invalid: 0

**Schedule Number (SchNo)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Schedule Number (SchNo)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 115108

Invalid: 0

**Sample (Sample)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 115108

Invalid: 0

**Sector (Sector)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 115108

Invalid: 0

**State-Region (State\_reg)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 3

Valid cases: 115108

Invalid: 0

**state code (state)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 115108

Invalid: 0

**District (District)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**District (District)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 115108

Invalid: 0

**Stratum (Stratum)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 115108

Invalid: 0

**Sub-Round (Sub\_Round)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 115108

Invalid: 0

**Sub-Sample (Sub\_Sample)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 115108

Invalid: 0

**FOD Sub-Region (FOD\_SR)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 4

Valid cases: 115108

Invalid: 0

**LOT/FSU Serial No. (FSU)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records



**LOT/FSU Serial No. (FSU)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 5

Valid cases: 115108

Invalid: 0

**Hamlet Group/Sub-Block no. (Sub\_block)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 115108

Invalid: 0

**Second Stage Stratum (SS\_stratum)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 115108

Invalid: 0

**Sample HHS No. (HS\_No)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 115108

Invalid: 0

**Person Srl. No. (B11\_c1)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 2

Valid cases: 115108

Invalid: 0

**Interviewer instructions**

Columns 1 & 2: sl. no. and age (years) as in block 4/5: The serial number and the corresponding age of children and ever married women of age below 50 years are to be copied from block 4/5 and recorded in columns 1 and 2, respectively in the sequence they appear in blocks 4/5.

**Age (B11\_c2)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Continuous	Valid cases: 114390
Format: numeric	Invalid: 718
Width: 2	Minimum: 0
Decimals: 0	Maximum: 49
Range: 0-49	Mean: 21.4
	Standard deviation: 15.8

**Immunisation? (B11\_c3)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete	Valid cases: 39911
Format: character	Invalid: 0
Width: 1	

**Literal question**

For children of age 0 to 4 years, whether any immunisation received:

**Interviewer instructions**

For children below the age of 5 years, it is to be ascertained whether they have received any immunisation during the last 365 days or not. Code 1 is to be recorded for a child if he/she had received any of the following vaccinations viz., BCG, Measles, DPT (any of the 3 doses), Polio (excluding polio 0 which is given at the time of birth), Hepatitis vaccine (A or B), MMR, Pneumovax (for pneumonia) and Oral typhoid. Code 2 will be recorded if none of these vaccinations are received during the last 365 days.

**Expenditure incurred (B11\_c4)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Continuous	Valid cases: 22148
Format: numeric	Invalid: 92960
Width: 5	Minimum: 0
Decimals: 0	Maximum: 10000
Range: 0-10000	Mean: 92.2
	Standard deviation: 347.4

**Literal question**

For children of age 0 to 4 years, expenditure incurred (Rs):

**Interviewer instructions**

If a child received any immunisation (any of the 10 immunisations mentioned above), i.e. code 1 in col. 3, the expenditure incurred for the administration of the vaccination is to be recorded under this column in whole rupees. The expenditure will include only the cost of availing the goods and services and not the transport charges, etc.

**Pregnant anytime? (B11\_c5)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

**Pregnant anytime? (B11\_c5)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

Type: Discrete

Valid cases: 115105

Format: character

Invalid: 0

Width: 1

**Interviewer instructions**

For ever married women of age below 50 years, particulars of pre-natal care of pregnant women and post-natal care of mothers:

Each of the ever married women of age below 50 years would be asked whether she was pregnant any time during the last 365 days. Code 1 will be assigned if she was pregnant any time and otherwise, code 2 will be assigned. Information in columns 6 to 11 will be collected only for those women who were pregnant during the last 365 days, i.e. those with code 1 in column 5.

**Any pre- natal care ? (B11\_c6)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Valid cases: 9706

Format: character

Invalid: 0

Width: 1

**Interviewer instructions**

Usually an expectant mother gets pre-natal care in a medical institution where she is likely to be admitted for child birth. She may also consult private medical practitioners at regular intervals for pre-natal care and advice. When she goes to the out patient department of a hospital for pre-natal care, usually her name is registered in the hospital and a card/ticket, on which attending physician records his/her advice and the next date of check up, is given to her. In case of consultation in a doctor's clinic, such registration may not be necessary. Nevertheless, the doctor advises her as to when she is to report to him again for the next check up. Usually, the expectant mothers are given Tetanus Toxoid injections to immunise them from affectation of tetanus. Sometimes Iron Folic Acid tablets are also prescribed to prevent anaemia during pregnancy.

**Expenditure incurred (B11\_c7)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Continuous

Valid cases: 6467

Format: numeric

Invalid: 108641

Width: 5

Minimum: 0

Decimals: 0

Maximum: 35000

Range: 0-35000

Mean: 791.9

Standard deviation: 1680.1

**Literal question**

For 1 or 2 in col. 6, expenditure incurred (Rs):

**Interviewer instructions**

if 1 or 2 in col. 6, expenditure incurred (Rs): For women who had received pre-natal care, i.e. those with code 1 or 2 in col. 6, expenditure incurred for such care (goods and services) will be collected and recorded under column 7 in whole rupees.

**Given birth to a child? (B11\_c8)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Given birth to a child? (B11\_c8)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 9588

Invalid: 0

**Interviewer instructions**

All those women who were pregnant any time during last 365 days will be asked whether they gave birth to a child during the last 365 days. Birth here means live births only. The response will be collected in the form of codes

**Exp. on child birth (B11\_c9)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Continuous

Format: numeric

Width: 5

Decimals: 0

Range: 0-98500

Valid cases: 6553

Invalid: 108555

Minimum: 0

Maximum: 98500

Mean: 2243.9

Standard deviation: 4363.5

**Interviewer instructions**

The total expenditure on childbirth for women who gave birth to a child during the last 365 days will be ascertained and recorded under this column. This will also include expenditure made for treatment of any complication arising at the time of childbirth.

**Post-natal care (B11\_c10)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Discrete

Format: character

Width: 1

Valid cases: 6884

Invalid: 0

**Expenditure incurred (B11\_c11)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Continuous

Format: numeric

Width: 5

Decimals: 0

Range: 0-27000

Valid cases: 4235

Invalid: 110873

Minimum: 0

Maximum: 27000

Mean: 600.1

Standard deviation: 1317.4

**Interviewer instructions**

For women who had received any post-natal care, i.e. those with code 1 or 2 in col. 10, expenditure incurred for such care will be collected and recorded under column 11 in whole rupees.

**multiplier combined (wgt\_combined)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Continuous	Valid cases: 115108
Format: numeric	Invalid: 0
Width: 8	Minimum: 2.3
Decimals: 2	Maximum: 84978.8
Range: 2.25-84978.75	Mean: 2607
	Standard deviation: 3173.2

**multiplier sub sample (wgt\_ss)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Continuous	Valid cases: 115108
Format: numeric	Invalid: 0
Width: 9	Minimum: 4.5
Decimals: 2	Maximum: 169957.5
Range: 4.5-169957.5	Mean: 5214
	Standard deviation: 6346.4

**nss (NSS)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Continuous	Valid cases: 115108
Format: numeric	Invalid: 0
Width: 2	Minimum: 1
Decimals: 0	Maximum: 40
Range: 1-40	Mean: 6.5
	Standard deviation: 6.1

**nsc (NSC)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

**Overview**

Type: Continuous	Valid cases: 115108
Format: numeric	Invalid: 0
Width: 2	Minimum: 3
Decimals: 0	Maximum: 80
Range: 3-80	Mean: 13
	Standard deviation: 12.2

**Posted Multiplier (Mult)**

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

## Posted Multiplier (Mult)

File:

Block-1 1-immunisation-children-pre-natal-post-natal-care-women-records

### Overview

Type: Continuous  
Format: numeric  
Width: 8  
Decimals: 0  
Range: 450-16995750

Valid cases: 115108  
Invalid: 0  
Minimum: 450  
Maximum: 16995750  
Mean: 521396.6  
Standard deviation: 634642.7

## Related Materials

### Questionnaires

#### Questionnaire

---

Title Questionnaire  
 Author(s) NSSO  
 Country India  
 Language English  
 Filename Schedule\_60\_25.0.pdf

---

### Reports

#### Morbidity,Health care and the condition of the aged

---

Title Morbidity,Health care and the condition of the aged  
 Country India  
 Language English  
 Filename Report 507\_final.pdf

---

#### IHSN study report

---

Title IHSN study report  
 Country India  
 Language English  
 Filename IHSN Study Report-NSS60R-Schedule 25.0-Morbidity-Healthcare.pdf

---

### Other materials

#### Introduction: Concepts, Definitions and Procedures

---

Title Introduction: Concepts, Definitions and Procedures  
 Author(s) NSSO  
 Country India  
 Language English  
 Filename Chapter-1\_60.pdf

---

#### Schedule 0.0: List of Households

---

Title Schedule 0.0: List of Households  
 Author(s) NSSO  
 Country India  
 Language English  
 Filename Chapter-2\_60\_25.0.pdf

---

## Schedule 25.0: Morbidity and Health Care

---

Title Schedule 25.0: Morbidity and Health Care  
Author(s) NSSO  
Country India  
Language English  
Filename Chapter-5\_60\_25.0.pdf

---

## List of state codes

---

Title List of state codes  
Author(s) NSSO  
Country India  
Language English  
Filename State codes from 58th Round onwards.pdf

---

## List of FOD sub-regions

---

Title List of FOD sub-regions  
Author(s) NSSO  
Country India  
Language English  
Filename FOD sub-regions.pdf

---