

# Thailand - Migration Survey 2009

Report generated on: May 22, 2018

Visit our data catalog at: <http://www.ilo.org/microdata/index.php>

## Overview

### Identification

**ID NUMBER**

THA\_2009\_MS\_v01\_M

### Version

**VERSION DESCRIPTION**

v01

**PRODUCTION DATE**

2009

### Overview

**ABSTRACT**

The objective of this survey is to collect the basic data on demographic and socio-economic characteristics of migrants and non-migrants, including the data about movements such as reasons for migration, frequencies of migration, decision makers, ect.

**KIND OF DATA**

Sample survey data [ssd]

**UNITS OF ANALYSIS**

- Households

- Individuals

**TOPICS**

| Topic         | Vocabulary | URI |
|---------------|------------|-----|
| Labour Market | ILO        |     |
| Migration     | ILO        |     |

### Producers and Sponsors

**PRIMARY INVESTIGATOR(S)**

| Name  | Affiliation |
|---|-------------|
| National Statistical Office of Thailand (NSO) |             |

**FUNDING**

| Name                   | Abbreviation | Role |
|------------------------|--------------|------|
| Government of Thailand | GovTHA       |      |

### Metadata Production

**METADATA PRODUCED BY**

| Name  | Abbreviation  | Affiliation                       | Role                       |
|---|---------------|-----------------------------------|----------------------------|
| Regional Economic and Social Analysis Unit/ILO Regional Office for Asia and the Pacific | RESA/ILO ROAP | International Labour Organization | Documentation of DDI Study |

**DATE OF METADATA PRODUCTION**

2018-05-23

**DDI DOCUMENT VERSION**

Version 01 (May 2018)

**DDI DOCUMENT ID**

THA\_2009\_MS\_v01\_M\_ILO

# Sampling

## Sampling Procedure

---

A Stratified Two - Stage Sampling was adopted for the survey. Provinces were constituted strata. The primary and secondary sampling units were enumeration areas (EAs) for municipal and non - municipal areas and private households and persons in the group of employees households respectively.

# Questionnaires

No content available

## Data Collection

### Data Collection Dates

---

| <b>Start</b> | <b>End</b> | <b>Cycle</b> |
|--------------|------------|--------------|
| 2009         | 2009       | N/A          |

### Data Collection Mode

---

Face-to-face [f2f]

### Data Collectors

---

| <b>Name</b>                             | <b>Abbreviation</b> | <b>Affiliation</b> |
|---|---------------------|--------------------|
| National Statistical Office of Thailand | NSO                 |                    |

## Data Processing

No content available

## Data Appraisal

No content available



# File Description

# Variable List

**2009\_SPSS**

Content  
Cases 894218  
Variable(s) 72  
Structure Type:  
Keys: ()  
Version  
Producer  
Missing Data

**Variables**

| ID   | Name     | Label               | Type     | Format    | Question |
|------|----------|---------------------|----------|-----------|----------|
| V643 | reg      | Region              | discrete | numeric   |          |
| V644 | CWT      | Changwat            | contin   | numeric   |          |
| V645 | amp      |                     | discrete | character |          |
| V646 | tmb      |                     | discrete | character |          |
| V647 | area     | Administrative Area | discrete | numeric   |          |
| V648 | ed       |                     | discrete | character |          |
| V649 | blk_vil  |                     | discrete | character |          |
| V650 | psu_no   |                     | discrete | character |          |
| V651 | rota_gr  |                     | discrete | numeric   |          |
| V652 | samset   |                     | discrete | numeric   |          |
| V653 | month    | month               | discrete | numeric   |          |
| V654 | year     | year                | discrete | numeric   |          |
| V655 | hh_no    | household number    | contin   | numeric   |          |
| V656 | type     |                     | discrete | numeric   |          |
| V657 | members  |                     | discrete | numeric   |          |
| V658 | listing  |                     | contin   | numeric   |          |
| V659 | enum     |                     | discrete | numeric   |          |
| V660 | no       |                     | discrete | numeric   |          |
| V661 | relation |                     | discrete | numeric   |          |
| V662 | sex      |                     | discrete | numeric   |          |
| V663 | age      |                     | contin   | numeric   |          |
| V664 | marital  |                     | discrete | numeric   |          |
| V665 | occup    |                     | contin   | numeric   |          |
| V666 | indus    |                     | contin   | numeric   |          |
| V667 | status   |                     | discrete | numeric   |          |
| V668 | re_wk    |                     | discrete | numeric   |          |
| V669 | re_ed    |                     | discrete | numeric   |          |
| V670 | month_1  |                     | discrete | numeric   |          |

| ID   | Name     | Label         | Type     | Format  | Question |
|------|----------|---------------|----------|---------|----------|
| V671 | year_1   |               | contin   | numeric |          |
| V672 | in_out_1 |               | discrete | numeric |          |
| V673 | precwd   |               | contin   | numeric |          |
| V674 | type1    |               | discrete | numeric |          |
| V675 | rstay    |               | contin   | numeric |          |
| V676 | time     |               | discrete | numeric |          |
| V677 | rmove    |               | contin   | numeric |          |
| V678 | in_out_2 |               | discrete | numeric |          |
| V679 | newcwd   |               | contin   | numeric |          |
| V680 | regis    |               | discrete | numeric |          |
| V681 | type2    |               | discrete | numeric |          |
| V682 | in_out_3 |               | discrete | numeric |          |
| V683 | m_cwd    |               | contin   | numeric |          |
| V684 | time_1   |               | discrete | numeric |          |
| V685 | time_2   |               | discrete | numeric |          |
| V686 | how_1    |               | discrete | numeric |          |
| V687 | how_2    |               | discrete | numeric |          |
| V688 | preocc   |               | discrete | numeric |          |
| V689 | preind   |               | contin   | numeric |          |
| V690 | prestat  |               | discrete | numeric |          |
| V691 | sent     |               | discrete | numeric |          |
| V692 | psm_1    |               | discrete | numeric |          |
| V693 | psm_2    |               | discrete | numeric |          |
| V694 | pst_1    |               | discrete | numeric |          |
| V695 | pst_2    |               | discrete | numeric |          |
| V696 | smw_1    |               | discrete | numeric |          |
| V697 | smw_2    |               | discrete | numeric |          |
| V698 | stw_1    |               | discrete | numeric |          |
| V699 | stw_2    |               | discrete | numeric |          |
| V700 | t_sm     |               | contin   | numeric |          |
| V701 | t_st     |               | contin   | numeric |          |
| V702 | use_1    |               | discrete | numeric |          |
| V703 | use_2    |               | discrete | numeric |          |
| V704 | by_1     |               | discrete | numeric |          |
| V705 | by_2     |               | discrete | numeric |          |
| V706 | migrant  |               | discrete | numeric |          |
| V707 | re_cwr   |               | discrete | numeric |          |
| V708 | weigt_4  |               | contin   | numeric |          |
| V709 | weigt_2  |               | contin   | numeric |          |
| V710 | re_occup | RE_OCCUPATION | discrete | numeric |          |

| <b>ID</b> | <b>Name</b> | <b>Label</b> | <b>Type</b> | <b>Format</b> | <b>Question</b> |
|-----------|-------------|--------------|-------------|---------------|-----------------|
| V711      | RE_AGE      |              | discrete    | numeric       |                 |
| V712      | RE_EDU      |              | discrete    | numeric       |                 |
| V713      | NEW_STAT    |              | discrete    | numeric       |                 |
| V714      | re_indus    |              | contin      | numeric       |                 |



**Region (reg)**

File: 2009\_SPSS

**Overview**

|                 |                     |
|-----------------|---------------------|
| Type: Discrete  | Valid cases: 894218 |
| Format: numeric | Invalid: 0          |
| Width: 1        | Minimum: 1          |
| Decimals: 0     | Maximum: 5          |
| Range: 1-5      |                     |

**Changwat (CWT)**

File: 2009\_SPSS

**Overview**

|                  |                        |
|------------------|------------------------|
| Type: Continuous | Valid cases: 894218    |
| Format: numeric  | Invalid: 0             |
| Width: 2         | Minimum: 10            |
| Decimals: 0      | Maximum: 96            |
| Range: 10-96     | Mean: 49.7             |
|                  | Standard deviation: 26 |

**(amp)**

File: 2009\_SPSS

**Overview**

|                   |                |
|-------------------|----------------|
| Type: Discrete    | Valid cases: 0 |
| Format: character | Invalid: 0     |
| Width: 1          |                |

**(tmb)**

File: 2009\_SPSS

**Overview**

|                   |                     |
|-------------------|---------------------|
| Type: Discrete    | Valid cases: 894218 |
| Format: character | Invalid: 0          |
| Width: 1          |                     |

**Administrative Area (area)**

File: 2009\_SPSS

**Overview**

|                 |                     |
|-----------------|---------------------|
| Type: Discrete  | Valid cases: 894218 |
| Format: numeric | Invalid: 0          |
| Width: 1        | Minimum: 1          |
| Decimals: 0     | Maximum: 2          |
| Range: 1-2      |                     |

**(ed)**

File: 2009\_SPSS

**Overview**

**(ed)**

File: 2009\_SPSS

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 894218  
 Invalid: 0

**(blk\_vil)**

File: 2009\_SPSS

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 894218  
 Invalid: 0

**(psu\_no)**

File: 2009\_SPSS

**Overview**

Type: Discrete  
 Format: character  
 Width: 1

Valid cases: 0  
 Invalid: 0

**(rota\_gr)**

File: 2009\_SPSS

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-4

Valid cases: 894218  
 Invalid: 0  
 Minimum: 1  
 Maximum: 4  
 Mean: 2.5  
 Standard deviation: 1.1

**(samset)**

File: 2009\_SPSS

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0

Valid cases: 0  
 Invalid: 894218

**month (month)**

File: 2009\_SPSS

**Overview**



**month (month)**

File: 2009\_SPSS

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-12

Valid cases: 894218  
 Invalid: 0  
 Minimum: 1  
 Maximum: 12  
 Mean: 6.5  
 Standard deviation: 3.5

**year (year)**

File: 2009\_SPSS

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 52-52

Valid cases: 894218  
 Invalid: 0  
 Minimum: 52  
 Maximum: 52  
 Mean: 52  
 Standard deviation: 0

**household number (hh\_no)**

File: 2009\_SPSS

**Overview**

Type: Continuous  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-37

Valid cases: 894218  
 Invalid: 0  
 Minimum: 1  
 Maximum: 37  
 Mean: 8.1  
 Standard deviation: 4.1

**(type)**

File: 2009\_SPSS

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 1  
 Decimals: 0  
 Range: 1-2

Valid cases: 894218  
 Invalid: 0  
 Minimum: 1  
 Maximum: 2  
 Mean: 1  
 Standard deviation: 0.1

**(members)**

File: 2009\_SPSS

**Overview**

Type: Discrete  
 Format: numeric  
 Width: 2  
 Decimals: 0  
 Range: 1-21

Valid cases: 894216  
 Invalid: 2  
 Minimum: 1  
 Maximum: 21  
 Mean: 4.1  
 Standard deviation: 1.8

**(listing)**

File: 2009\_SPSS

**Overview**

|                  |                         |
|------------------|-------------------------|
| Type: Continuous | Valid cases: 894216     |
| Format: numeric  | Invalid: 2              |
| Width: 2         | Minimum: 0              |
| Decimals: 0      | Maximum: 98             |
| Range: 0-98      | Mean: 3.9               |
|                  | Standard deviation: 2.7 |

**(enum)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 894218     |
| Format: numeric | Invalid: 0              |
| Width: 2        | Minimum: 11             |
| Decimals: 0     | Maximum: 14             |
| Range: 11-14    | Mean: 11.1              |
|                 | Standard deviation: 0.5 |

**(no)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 894218     |
| Format: numeric | Invalid: 0              |
| Width: 2        | Minimum: 1              |
| Decimals: 0     | Maximum: 21             |
| Range: 1-21     | Mean: 2.5               |
|                 | Standard deviation: 1.6 |

**(relation)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 894218     |
| Format: numeric | Invalid: 0              |
| Width: 1        | Minimum: 0              |
| Decimals: 0     | Maximum: 9              |
| Range: 0-9      | Mean: 3                 |
|                 | Standard deviation: 2.1 |

**(sex)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 894218     |
| Format: numeric | Invalid: 0              |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 2              |
| Range: 1-2      | Mean: 1.5               |
|                 | Standard deviation: 0.5 |

**(age)**

File: 2009\_SPSS

**Overview**

|                  |                          |
|------------------|--------------------------|
| Type: Continuous | Valid cases: 894218      |
| Format: numeric  | Invalid: 0               |
| Width: 2         | Minimum: 0               |
| Decimals: 0      | Maximum: 98              |
| Range: 0-98      | Mean: 36.2               |
|                  | Standard deviation: 21.5 |

**(marital)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 703118     |
| Format: numeric | Invalid: 191100         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 6              |
| Range: 1-6      | Mean: 2                 |
|                 | Standard deviation: 0.8 |

**(occup)**

File: 2009\_SPSS

**Overview**

|                  |                            |
|------------------|----------------------------|
| Type: Continuous | Valid cases: 494016        |
| Format: numeric  | Invalid: 400202            |
| Width: 4         | Minimum: 1110              |
| Decimals: 0      | Maximum: 9970              |
| Range: 1110-9970 | Mean: 5991.8               |
|                  | Standard deviation: 1971.7 |

**(indus)**

File: 2009\_SPSS

**Overview**

|                  |                            |
|------------------|----------------------------|
| Type: Continuous | Valid cases: 494016        |
| Format: numeric  | Invalid: 400202            |
| Width: 4         | Minimum: 111               |
| Decimals: 0      | Maximum: 9999              |
| Range: 111-9999  | Mean: 3821.1               |
|                  | Standard deviation: 2953.3 |

**(status)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 494016     |
| Format: numeric | Invalid: 400202         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 7              |
| Range: 1-7      | Mean: 3.7               |
|                 | Standard deviation: 1.8 |

**(re\_wk)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 894218     |
| Format: numeric | Invalid: 0              |
| Width: 2        | Minimum: 1              |
| Decimals: 0     | Maximum: 14             |
| Range: 1-14     | Mean: 5.4               |
|                 | Standard deviation: 5.3 |

**(re\_ed)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 703118     |
| Format: numeric | Invalid: 191100         |
| Width: 2        | Minimum: 1              |
| Decimals: 0     | Maximum: 17             |
| Range: 1-17     | Mean: 4.3               |
|                 | Standard deviation: 3.3 |

**(month\_1)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 894218     |
| Format: numeric | Invalid: 0              |
| Width: 2        | Minimum: 0              |
| Decimals: 0     | Maximum: 12             |
| Range: 0-12     | Mean: 0.1               |
|                 | Standard deviation: 1.1 |

**(year\_1)**

File: 2009\_SPSS

**Overview**

|                  |                       |
|------------------|-----------------------|
| Type: Continuous | Valid cases: 894218   |
| Format: numeric  | Invalid: 0            |
| Width: 2         | Minimum: 0            |
| Decimals: 0      | Maximum: 52           |
| Range: 0-52      | Mean: 1.3             |
|                  | Standard deviation: 8 |

**(in\_out\_1)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 22197      |
| Format: numeric | Invalid: 872021         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 8              |
| Range: 1-8      | Mean: 1.2               |
|                 | Standard deviation: 1.1 |

**(precwd)**

File: 2009\_SPSS

**Overview**

|                  |                          |
|------------------|--------------------------|
| Type: Continuous | Valid cases: 22197       |
| Format: numeric  | Invalid: 872021          |
| Width: 2         | Minimum: 1               |
| Decimals: 0      | Maximum: 98              |
| Range: 1-98      | Mean: 41.2               |
|                  | Standard deviation: 27.5 |

**(type1)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 22197      |
| Format: numeric | Invalid: 872021         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 1.6               |
|                 | Standard deviation: 1.2 |

**(rstay)**

File: 2009\_SPSS

**Overview**

|                  |                         |
|------------------|-------------------------|
| Type: Continuous | Valid cases: 22197      |
| Format: numeric  | Invalid: 872021         |
| Width: 2         | Minimum: 1              |
| Decimals: 0      | Maximum: 99             |
| Range: 1-99      | Mean: 6.4               |
|                  | Standard deviation: 3.1 |

**(time)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 22197      |
| Format: numeric | Invalid: 872021         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 4.4               |
|                 | Standard deviation: 1.1 |

**(rmove)**

File: 2009\_SPSS

**Overview**

|                  |                         |
|------------------|-------------------------|
| Type: Continuous | Valid cases: 1282       |
| Format: numeric  | Invalid: 892936         |
| Width: 2         | Minimum: 1              |
| Decimals: 0      | Maximum: 99             |
| Range: 1-99      | Mean: 4.6               |
|                  | Standard deviation: 6.7 |

**(in\_out\_2)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 1589       |
| Format: numeric | Invalid: 892629         |
| Width: 1        | Minimum: 0              |
| Decimals: 0     | Maximum: 9              |
| Range: 0-9      | Mean: 1.8               |
|                 | Standard deviation: 2.4 |

**(newcwd)**

File: 2009\_SPSS

**Overview**

|                  |                          |
|------------------|--------------------------|
| Type: Continuous | Valid cases: 1590        |
| Format: numeric  | Invalid: 892628          |
| Width: 2         | Minimum: 0               |
| Decimals: 0      | Maximum: 99              |
| Range: 0-99      | Mean: 32.1               |
|                  | Standard deviation: 27.7 |

**(regis)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 10014      |
| Format: numeric | Invalid: 884204         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 2              |
| Range: 1-2      | Mean: 1.7               |
|                 | Standard deviation: 0.5 |

**(type2)**

File: 2009\_SPSS

**Overview**

|                 |                       |
|-----------------|-----------------------|
| Type: Discrete  | Valid cases: 10014    |
| Format: numeric | Invalid: 884204       |
| Width: 1        | Minimum: 1            |
| Decimals: 0     | Maximum: 9            |
| Range: 1-9      | Mean: 2               |
|                 | Standard deviation: 1 |

**(in\_out\_3)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 10014      |
| Format: numeric | Invalid: 884204         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 1.2               |
|                 | Standard deviation: 1.1 |

**(m\_cwd)**

File: 2009\_SPSS

**Overview**

|                  |                          |
|------------------|--------------------------|
| Type: Continuous | Valid cases: 10014       |
| Format: numeric  | Invalid: 884204          |
| Width: 2         | Minimum: 0               |
| Decimals: 0      | Maximum: 99              |
| Range: 0-99      | Mean: 47.9               |
|                  | Standard deviation: 22.7 |

**(time\_1)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 10014      |
| Format: numeric | Invalid: 884204         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 4                 |
|                 | Standard deviation: 2.4 |

**(time\_2)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 2358       |
| Format: numeric | Invalid: 891860         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 5              |
| Range: 1-5      | Mean: 2.2               |
|                 | Standard deviation: 0.9 |

**(how\_1)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 6355       |
| Format: numeric | Invalid: 887863         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 2                 |
|                 | Standard deviation: 1.2 |

**(how\_2)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 693        |
| Format: numeric | Invalid: 893525         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 6              |
| Range: 1-6      | Mean: 2.7               |
|                 | Standard deviation: 1.1 |

**(preocc)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 1754       |
| Format: numeric | Invalid: 892464         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 3.4               |
|                 | Standard deviation: 1.2 |

**(preind)**

File: 2009\_SPSS

**Overview**

|                  |                            |
|------------------|----------------------------|
| Type: Continuous | Valid cases: 6055          |
| Format: numeric  | Invalid: 888163            |
| Width: 4         | Minimum: 111               |
| Decimals: 0      | Maximum: 9999              |
| Range: 111-9999  | Mean: 4213.8               |
|                  | Standard deviation: 2496.8 |

**(prestat)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 6055       |
| Format: numeric | Invalid: 888163         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 4.9               |
|                 | Standard deviation: 1.6 |

**(sent)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 8590       |
| Format: numeric | Invalid: 885628         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 3.9               |
|                 | Standard deviation: 1.5 |

**(psm\_1)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 1754       |
| Format: numeric | Invalid: 892464         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 3.4               |
|                 | Standard deviation: 1.2 |



**(psm\_2)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 15         |
| Format: numeric | Invalid: 894203         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 6              |
| Range: 1-6      | Mean: 2.8               |
|                 | Standard deviation: 1.6 |

**(pst\_1)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 399        |
| Format: numeric | Invalid: 893819         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 3.4               |
|                 | Standard deviation: 1.3 |

**(pst\_2)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 9          |
| Format: numeric | Invalid: 894209         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 5              |
| Range: 1-5      | Mean: 3                 |
|                 | Standard deviation: 1.6 |

**(smw\_1)**

File: 2009\_SPSS

**Overview**

|                 |                       |
|-----------------|-----------------------|
| Type: Discrete  | Valid cases: 1754     |
| Format: numeric | Invalid: 892464       |
| Width: 1        | Minimum: 1            |
| Decimals: 0     | Maximum: 9            |
| Range: 1-9      | Mean: 1.5             |
|                 | Standard deviation: 1 |

**(smw\_2)**

File: 2009\_SPSS

**Overview**

|                 |                       |
|-----------------|-----------------------|
| Type: Discrete  | Valid cases: 173      |
| Format: numeric | Invalid: 894045       |
| Width: 1        | Minimum: 1            |
| Decimals: 0     | Maximum: 4            |
| Range: 1-4      | Mean: 2.7             |
|                 | Standard deviation: 1 |

**(stw\_1)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 399        |
| Format: numeric | Invalid: 893819         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 1.6               |
|                 | Standard deviation: 1.2 |

**(stw\_2)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 62         |
| Format: numeric | Invalid: 894156         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 4              |
| Range: 1-4      | Mean: 2.9               |
|                 | Standard deviation: 1.2 |

**(t\_sm)**

File: 2009\_SPSS

**Overview**

|                  |                             |
|------------------|-----------------------------|
| Type: Continuous | Valid cases: 1754           |
| Format: numeric  | Invalid: 892464             |
| Width: 5         | Minimum: 200                |
| Decimals: 0      | Maximum: 99999              |
| Range: 200-99999 | Mean: 12369.1               |
|                  | Standard deviation: 16925.1 |

**(t\_st)**

File: 2009\_SPSS

**Overview**

|                  |                             |
|------------------|-----------------------------|
| Type: Continuous | Valid cases: 399            |
| Format: numeric  | Invalid: 893819             |
| Width: 5         | Minimum: 100                |
| Decimals: 0      | Maximum: 99999              |
| Range: 100-99999 | Mean: 4160.4                |
|                  | Standard deviation: 12067.6 |

**(use\_1)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 1754       |
| Format: numeric | Invalid: 892464         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 2.2               |
|                 | Standard deviation: 0.8 |

**(use\_2)**

File: 2009\_SPSS

**Overview**

|                 |                       |
|-----------------|-----------------------|
| Type: Discrete  | Valid cases: 301      |
| Format: numeric | Invalid: 893917       |
| Width: 1        | Minimum: 1            |
| Decimals: 0     | Maximum: 7            |
| Range: 1-7      | Mean: 3.2             |
|                 | Standard deviation: 1 |

**(by\_1)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 1754       |
| Format: numeric | Invalid: 892464         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 9              |
| Range: 1-9      | Mean: 2                 |
|                 | Standard deviation: 1.1 |

**(by\_2)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 207        |
| Format: numeric | Invalid: 894011         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 5              |
| Range: 1-5      | Mean: 2.6               |
|                 | Standard deviation: 0.9 |

**(migrant)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 894218     |
| Format: numeric | Invalid: 0              |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 2              |
| Range: 1-2      | Mean: 2                 |
|                 | Standard deviation: 0.2 |

**(re\_cwr)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 22197      |
| Format: numeric | Invalid: 872021         |
| Width: 1        | Minimum: 1              |
| Decimals: 0     | Maximum: 8              |
| Range: 1-8      | Mean: 2.9               |
|                 | Standard deviation: 1.6 |

**(weigt\_4)**

File: 2009\_SPSS

**Overview**

|                        |                          |
|------------------------|--------------------------|
| Type: Continuous       | Valid cases: 894218      |
| Format: numeric        | Invalid: 0               |
| Width: 10              | Minimum: 1.1             |
| Decimals: 4            | Maximum: 2263.3          |
| Range: 1.125-2263.2524 | Mean: 74.8               |
|                        | Standard deviation: 86.7 |

**(weigt\_2)**

File: 2009\_SPSS

**Overview**

|                   |                         |
|-------------------|-------------------------|
| Type: Continuous  | Valid cases: 894218     |
| Format: numeric   | Invalid: 0              |
| Width: 10         | Minimum: 0              |
| Decimals: 4       | Maximum: 4523.5         |
| Range: 0-4523.547 | Mean: 74.8              |
|                   | Standard deviation: 144 |

**RE\_OCCUPATION (re\_occup)**

File: 2009\_SPSS

**Overview**

|                 |                     |
|-----------------|---------------------|
| Type: Discrete  | Valid cases: 494016 |
| Format: numeric | Invalid: 400202     |
| Width: 8        | Minimum: 1          |
| Decimals: 2     | Maximum: 10         |
| Range: 1-99     |                     |

**(RE\_AGE)**

File: 2009\_SPSS

**Overview**

|                 |                     |
|-----------------|---------------------|
| Type: Discrete  | Valid cases: 894218 |
| Format: numeric | Invalid: 0          |
| Width: 8        | Minimum: 1          |
| Decimals: 2     | Maximum: 9          |
| Range: 1-9      |                     |

**(RE\_EDU)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 703118     |
| Format: numeric | Invalid: 191100         |
| Width: 8        | Minimum: 1              |
| Decimals: 2     | Maximum: 8              |
| Range: 1-8      | Mean: 3.4               |
|                 | Standard deviation: 1.6 |

**(NEW\_STAT)**

File: 2009\_SPSS

**Overview**

|                 |                         |
|-----------------|-------------------------|
| Type: Discrete  | Valid cases: 494016     |
| Format: numeric | Invalid: 400202         |
| Width: 8        | Minimum: 1              |
| Decimals: 0     | Maximum: 7              |
| Range: 1-7      | Mean: 3.7               |
|                 | Standard deviation: 1.7 |

**(re\_indus)**

File: 2009\_SPSS

**Overview**

|                  |                         |
|------------------|-------------------------|
| Type: Continuous | Valid cases: 494016     |
| Format: numeric  | Invalid: 400202         |
| Width: 8         | Minimum: 1              |
| Decimals: 2      | Maximum: 99             |
| Range: 1-99      | Mean: 6                 |
|                  | Standard deviation: 4.7 |

## Related Materials

### Other materials

#### Multiple\_Layout\_form

---

Title Multiple\_Layout\_form  
Language Thai  
Filename Multiple\_Layout\_form.xls

---